

7 Literaturverzeichnis

- Adams TD**, Yanowitz FG, Fisher AG et al. Heritability of cardiac size: an echocardiographic and electrocardiographic study of monozygotic and dizygotic twins. *Circulation*. **1985** Jan;71(1):39-44.
- Antoni H**. Mechanik der Herzaktion. In: Schmidt RF, Thews G, Hrsg. *Physiologie des Menschen*. 26. Auflage, Springer Verlag Berlin, Heidelberg, New York, **1995**: 460-464
- Arnett DK**, de las Fuentes L, Broeckel U. Genes for left ventricular hypertrophy. *Curr Hypertens Rep*. **2004** Feb;6(1):36-41. Review.
- Aoyama T**, Takimoto Y, Pennica D et al. Augmented expression of cardiotrophin-1 and its receptor component, gp130, in both left and right ventricles after myocardial infarction in the rat. *J Mol Cell Cardiol*. **2000** Oct;32(10):1821-30.
- Bataineh A**, Raji L. Angiotensin II, nitric oxide, and end-organ damage in hypertension. *Kidney Int Suppl* **1998**; 68: S14–S19
- Bigazzi R**, Bianchi S, Baldari G, Campese VM. Clustering of cardiovascular riskfactors in salt-sensitive patients with essential hypertension: role of insulin. *Am J Hypertens*. **1996** Jan;9(1):24-32.
- Bihorac A**, Tezcan H, Ozener C et al. Association between salt sensitivity and target organ damage in essential hypertension. *Am J Hypertens*. **2000** Aug;13(8):864-72.
- Brilla CG**, Reams GP, Maisch B, et al. Renin-angiotensin system and myocardial fibrosis in hypertension: regulation of the myocardial collagen matrix. *Eur Heart J* **1993**; 14 Suppl J: 57–61
- Brown DW**, Giles WH, Croft JB. Left ventricular hypertrophy as a predictor of coronary heart disease mortality and the effect of hypertension. *Am Heart J*. **2000** Dec;140(6):848-56.
- Böhm M**, Zolk O, Flesch M, et al. Effects of angiotensin II type 1 receptor blockade and angiotensin-converting enzyme inhibition on cardiac beta-adrenergic signal transduction. *Hypertension* **1998**; 31/3: 747–754
- Campese VM**, Romoff MS, Levitan D et al. Abnormal relationship between sodium intake and sympathetic nervous system activity in salt-sensitive patients with essential hypertension. *Kidney Int*. **1982** Feb;21(2):371-8.
- Charest DL**, Mordret G, Harder KW et al. Molecular cloning, expression, and characterization of the human mitogen-activated protein kinase p44erk1. *Mol Cell Biol*. **1993** Aug;13(8):4679-90.

- Charles River Laboratories**, Research Models & Services Catalogue 2005 (2005), S.9
- Collins R, MacMahon S.** Blood pressure, antihypertensive drug treatment and the risks of stroke and of coronary heart disease. *Br Med Bull.* **1994** Apr;50(2):272-98. Review.
- Cooper RS,** Simmons BE, Castaner A et al. Left ventricular hypertrophy is associated with worse survival independent of ventricular function and number of coronary arteries severely narrowed. *Am J Cardiol.* **1990** Feb 15; 65(7): 441-5. Comment in: *N Engl J Med.* 1990 Dec 13;323(24):1706-7.
- Cutler JA,** Follmann D, Elliott P, Suh I. An overview of randomized trials of sodium reduction and blood pressure. *Hypertension.* **1991** Jan;17(1 Suppl):127-33. Review.
- Dannenberg AL,** Levy D, Garrison RJ. Impact of age on echocardiographic left ventricular mass in a healthy population (The Framingham Study). *Am J Cardiol.* **1989**;64:1066-1068.
- Darvasi A, Soller M.** Selective genotyping for determination of linkage between a marker locus and a quantitative trait locus. *Theor. Appl. Genet.* **1992** Nov; 85(2-3): 353–359.
- Darvasi A,** Weinreb A, Minke V et al. Detecting marker-QTL linkage and estimating QTL gene effect and map location using a saturated genetic map. *Genetics.* **1993** Jul;134(3):943-51.
- Darvasi A.** The effect of selective genotyping on QTL mapping accuracy. *Mamm Genome.* **1997** Jan;8(1):67-8.
- Darvasi A, Soller M.** A simple method to calculate resolving power and confidence interval of QTL map location. *Behav Genet.* 1997 Mar;27(2):125-32.
- Deschepper CF,** Boutin-Ganache I, Zahabi A, Jiang Z. In search of cardiovascular candidate genes: interactions between phenotypes and genotypes. *Hypertension.* **2002** Feb;39(2 Pt 2):332-6. Review.
- Folkow B.** "Structural factor" in primary and secondary hypertension. *Hypertension* **1990**; 16: 89–101
- Frohlich ED, Tarazi RC.** Is arterial pressure the sole factor responsible for hypertensive cardiac hypertrophy? *Am J Cardiol.* **1979** Oct 22;44(5):959-63. Review.
- Fujita T,** Henry WL, Bartter FC et al. Factors influencing blood pressure in salt-sensitive patients with hypertension. *Am J Med.* **1980** Sep;69(3):334-44.
- Franz IW.** Echokardiographie in der Hochdruckdiagnostik. *Dtsch. Med. Wschr.* **2002**; 45: 2383-2391.

- Ganau A**, Devereux RB, Pickering TG et al. Relation of left ventricular hemodynamic load and contractile performance to left ventricular mass in hypertension. *Circulation*. **1990** Jan;81(1):25-36.
- Gardin JM**, Wagenknecht LE, Anton-Culver H et al. Relationship of cardiovascular risk factors to echocardiographic left ventricular mass in healthy young black and white adult men and women. The CARDIA study. Coronary Artery Risk Development in Young Adults. *Circulation*. **1995** Aug 1;92(3):380-7.
- Garner C**, Lecomte E, Visvikis S et al. Genetic and environmental influences on left ventricular mass. A family study. *Hypertension*. **2000** Nov;36(5):740-6.
- Garrett MR**, Dene H, Rapp JP. Time-course genetic analysis of albuminuria in Dahl salt-sensitive rats on low-salt diet. *J Am Soc Nephrol*. **2003** May;14(5):1175-87.
- Ghali JK**, Liao Y, Simmons B et al. The prognostic role of left ventricular hypertrophy in patients with or without coronary artery disease. *Ann Intern Med*. **1992** Nov 15; 117(10): 831-6.
- Gonzalez A**, Lopez B, Martin-Raymondi D, et al. Usefulness of plasma cardiotrophin-1 in assessment of left ventricular hypertrophy regression in hypertensive patients. *J Hypertens*. **2005** Dec;23(12):2297-304.
- Gu L**, Dene H, Deng AY et al. Genetic mapping of two blood pressure quantitative trait loci on rat chromosome 1. *J Clin Invest*. **1996** Feb 1;97(3):777-88.
- Hagan PG**, Nienaber CA, Isselbacher EM et al. The International Registry of Acute Aortic Dissection /IRAD: new insights into an old disease. *JAMA* **2000**; 283/7: 897-903.
- Haley CS, Knott SA**. A simple regression method for mapping quantitative trait loci in line crosses using flanking markers. *Heredity*. **1992**; 69: 315-324.
- Hamet P**, Kaiser MA, Sun Y et al. HSP27 locus cosegregates with left ventricular mass independently of blood pressure. *Hypertension*. **1996** Dec;28(6):1112-7.
- Hamet P**, Pausova Z, Adarichev V, et al. Hypertension: genes and environment. *J Hypertens*. **1998** Apr;16(4):397-418. Review.
- Harris EL**, Phelan EL, Thompson CM et al. Heart mass and blood pressure have separate genetic determinants in the New Zealand genetically hypertensive (GH) rat. *J Hypertens*. **1995** Apr;13(4):397-404.
- Harshfield GA**, Grim CE, Hwang C et al. Genetic and environmental influences on echocardiographically determined left ventricular mass in black twins. *Am J Hypertens*. **1990** Jul;3(7):538-43.
- Hayakawa H, Raij L**. The link among nitric oxide synthase activity, endothelial function, and aortic and ventricular hypertrophy in hypertension. *Hypertension*. **1997** Jan;29 (1 Pt 2):235-41.

- He J, Whelton PK.** Elevated systolic blood pressure as a risk factor for cardiovascular and renal disease. *J Hypertens Suppl.* **1999** Jun;17(2):S7-13.
- Hirota H, Chen J, Betz UA et al.** Loss of a gp130 cardiac muscle cell survival pathway is a critical event in the onset of heart failure during biomechanical stress. *Cell.* **1999** Apr 16;97(2):189-98.
- Houghton JL, Smith VE, Strogatz DS et al.** Effect of African-American race and hypertensive left ventricular hypertrophy on coronary vascular reactivity and endothelial function. *Hypertension.* **1997** Mar;29(3):706-14.
- Hugot JP, Laurent-Puig P, Gower-Rousseau C et al.** Mapping of a susceptibility locus for Crohn's disease on chromosome 16. *Nature.* **1996** Feb 29;379(6568):821-3.
- Huntington's Disease Collaborative Research Group.** A novel gene containing a trinucleotide repeat that is expanded and unstable on Huntington's disease chromosomes. *Cell.* **1993** Mar 26;72(6):971-83.
- Innes BA, McLaughlin MG, Kapuscinski MK et al.** Independent genetic susceptibility to cardiac hypertrophy in inherited hypertension. *Hypertension.* **1998** Mar;31(3):741-6.
- Intengan HD, Schiffrin EL.** Structure and mechanical properties of resistance arteries in hypertension. *Hypertension* **2000**; 36: 312–318
- INTERSALT:** an international co-operative study on the relation of blood pressure to electrolyte excretion in populations. I. Design and methods. The INTERSALT Co-operative Research Group. *J Hypertens.* **1986** Dec;4(6):781-7.
- INTERSALT:** an international study of electrolyte excretion and blood pressure. Results for 24 hour urinary sodium and potassium excretion. Intersalt Cooperative Research Group. *BMJ.* **1988** Jul 30;297(6644):319-28.
- Ishikawa M, Saito Y, Miyamoto Y et al.** cDNA cloning of rat cardiotrophin-1 (CT-1): augmented expression of CT-1 gene in ventricle of genetically hypertensive rats. *Biochem Biophys Res Commun.* **1996** Feb 15;219(2):377-81.
- Jin H, Yang R, Keller GA et al.** In vivo effects of cardiotrophin-1. *Cytokine.* **1996** Dec;8(12):920-6.
- Kannel WB, Gordon T, Offutt D.** Left ventricular hypertrophy by electrocardiogram. Prevalence, incidence, and mortality in the Framingham study. *Ann Intern Med.* **1969** Jul; 71(1): 89-105.
- Kannel WB, Belanger AJ.** Epidemiology of heart failure. *Am Heart J.* **1991** Mar;121 (3 Pt 1):951-7.
- Kato N, Hyne G, Bihoreau MT et al.** Complete genome searches for quantitative trait loci controlling blood pressure and related traits in four segregating populations derived from Dahl hypertensive rats. *Mamm Genome.* **1999** Mar;10(3):259-65.

- Kerem B**, Rommens JM, Buchanan JA et al. Identification of the cystic fibrosis gene: genetic analysis. *Science*. **1989** Sep 8;245(4922):1073-80.
- Kim I**, Moon SO, Koh KN et al. Molecular cloning, expression, and characterization of angiotensin-related protein. angiotensin-related protein induces endothelial cell sprouting. *J Biol Chem*. **1999** Sep 10;274(37):26523-8.
- Klissouras V**. Heritability of adaptive variation. *J Appl Physiol*. **1971** Sep;31(3):338-44.
- Kubota Y**, Oike Y, Satoh S et al. Cooperative interaction of Angiotensin-like proteins 1 and 2 in zebrafish vascular development. *Proc Natl Acad Sci USA*. **2005** Sep 20;102(38):13502-7.
- Kurland L**, Melhus H, Karlsson J, et al. Polymorphisms in the angiotensinogen and angiotensin II type 1 receptor gene are related to change in left ventricular mass during antihypertensive treatment: results from the Swedish Irbesartan Left Ventricular Hypertrophy Investigation versus Atenolol (SILVHIA) trial. *J Hypertens*. **2002** Apr;20(4):657-63.
- Kuznetsova T**, Staessen JA, Olszanecka A et al. European Project On Genes in Hypertension (EPOGH) Investigators. Maternal and paternal influences on left ventricular mass of offspring. *Hypertension*. **2003** Jan;41(1):69-74.
- Koolen MI**, van Brummelen P. Adrenergic activity and peripheral hemodynamics in relation to sodium sensitivity in patients with essential hypertension. *Hypertension*. **1984** Nov-Dec;6(6 Pt 1):820-5.
- Koren MJ**, Devereux RB, Casale PN et al. Relation of left ventricular mass and geometry to morbidity and mortality in uncomplicated essential hypertension. *Ann Intern Med*. **1991** Mar 1; 114(5): 345-52.
- Kostis JB**. From hypertension to heart failure: update on the management of systolic and diastolic dysfunction. *Am J Hypertens*. **2003** Sep;16(9 Pt 2):18S-22S.
- Kuroda T**, Shiina A, Tsuruda K et al. Assessment of hypertensive heart by 2-dimensional echocardiography in mass screening. *Jpn Circ J*. **1991** Apr;55(4):365-76.
- Kren V**, Pravenec M, Lu S, Krenova D et al. Genetic isolation of a region of chromosome 8 that exerts major effects on blood pressure and cardiac mass in the spontaneously hypertensive rat. *J Clin Invest*. **1997** Feb
- Kreutz R**, Hubner N. Congenic rat strains are important tools for the genetic dissection of essential hypertension. *Semin Nephrol*. **2002** Mar;22(2):135-47. Review.
- Kreutz R**. Therapy of hypertension. *Clin Res Cardiol*. **2006** Sep; 95 Suppl 6:vi34-vi40.
- Lander ES, Botstein D**. Mapping mendelian factors underlying quantitative traits using RFLP linkage maps. *Genetics*. **1989** Jan;121(1):185-99. Erratum in: *Genetics* 1994 Feb;136(2):705.

- Lander E, Kruglyak L.** Genetic dissection of complex traits: guidelines for interpreting and reporting linkage results. *Nat Genet.* **1995** Nov;11(3):241-7.
- Landry F, Bouchard C, Dumesnil J.** Cardiac dimension changes with endurance training. Indications of a genotype dependency. *JAMA.* **1985** Jul 5;254(1):77-80.
- Lauer MS, Anderson KM, Kannel WB, Levy D.** The impact of obesity on left ventricular mass and geometry: the Framingham Heart Study. *JAMA.* **1991**;266:231-236.
- Law MR, Frost CD, Wald NJ.** Dietary salt and blood pressure. *J Hypertens Suppl.* **1991** Dec;9(6):S37-41; discussion S47-9.
- Lebowitz RJ, Soller M, Beckmann JS.** Trait-based analyses for the detection of linkage between marker loci and quantitative trait loci in crosses between inbred lines. *Theor. Appl. Genet.* **1978**, Feb; 73(4): 556-562.
- Lever AF.** Slow pressor mechanisms in essential hypertension. *J Hypertens* **1986**; 4: 515–524
- Levy D, Savage DD, Garrison RJ et al.** Echocardiographic criteria for left ventricular hypertrophy: the Framingham Heart Study. *Am J Cardiol.* **1987** Apr 15; 59(9): 956-60.
- Levy D, Anderson KM, Savage DD et al.** Echocardiographically detected left ventricular hypertrophy: prevalence and risk factors: the Framingham Heart Study. *Ann Intern Med.* **1988**;108:7-13.
- Levy D, Garrison RJ, Savage DD et al.** Prognostic implications of echocardiographically determined left ventricular mass in the Framingham Heart Study. *N Engl J Med.* **1990** May 31; 322(22): 1561-6.
- Levy D, Salomon M, D'Agostino R et al.** Prognostic significance of baseline electrocardiographic features and their serial changes in subjects with left ventricular hypertrophy. *Circulation* **1994**; 90: 1786–1793
- Lewis T.** Diseases of the heart. London: *MacMillan*, **1940**: S.106
- Liao D, Arnett DK, Tyroler HA et al.** Arterial stiffness and the development of hypertension. The ARIC study. *Hypertension.* **1999**; 34: 201–206
- Lifton RP, Gharavi AG, Geller DS.** Molecular mechanisms of human hypertension. *Cell.* **2001** Feb 23;104(4):545-56. Review.
- Limas C, Westrum B, Limas CJ, Cohn JN.** Effect of salt on the vascular lesions of spontaneously hypertensive rats. *Hypertension.* **1980** Jul-Aug;2(4):477-89.
- Lindpaintner K, Sen S.** Role of sodium in hypertensive cardiac hypertrophy. *Circ Res.* **1985** Oct;57(4):610-7.

- Lopez B**, Gonzalez A, Lasarte JJ, et al. Is plasma cardiotrophin-1 a marker of hypertensive heart disease? *J Hypertens*. **2005** Mar;23(3):625-32.
- Löw M**, Stegmaier C, Ziegler H et al. Esther-Studie: Epidemiologische Studie zu Chancen der Verhütung, Früherkennung und optimierten Therapie chronischer Erkrankungen in der älteren Bevölkerung (ESTHER-Studie). *Dtsch med Wochenschr*. **2004**; 129: 2643-2647.
- Luft FC**. Salt and hypertension: Where things stand. *Nephrol Dial Transplant*. **1995**;10(9):1524-5. Review.
- Mangin B**, Goffinet B, Rebai A. Constructing confidence intervals for QTL location. *Genetics*. **1994** Dec;138(4):1301-8.
- Manolio TA**, Levy D, Garrison RJ et al. Relation of alcohol intake to left ventricular mass: The Framingham Study. *J Am Coll Cardiol*. **1991** Mar 1;17(3):717-21.
- Manunta P**, Barlassina C, Bianchi G. Adducin in essential hypertension. *FEBS Lett*. **1998** Jun 23;430(1-2):41-4. Review.
- Maron BJ**. Hypertrophic cardiomyopathy. *Lancet*. 1997 Jul 12;350(9071):127-33. Review. Erratum in: *Lancet* **1997** Nov 1;350(9087):1330.
- Martinez O**, Curnow RN, Estimating the locations and the sizes of the effects of quantitative trait loci using flanking markers. *Theor. Appl. Genet*. **1992**. 85: 480-488.
- Masciotra S**, Picard S, Deschepper CF. Cosegregation analysis in genetic crosses suggests a protective role for atrial natriuretic factor against ventricular hypertrophy. *Circ Res*. **1999** Jun 25;84(12):1453-8.
- Massie BM**, Shah NB. The heart failure epidemic: magnitude of the problem and potential mitigating approaches *Curr Opin Cardiol*. **1996** May;11(3):221-6.
- Messerli FH**, Schmieder RE, Weir MR. Salt. A perpetrator of hypertensive target organ disease? *Arch Intern Med*. **1997** Nov 24;157(21):2449-52. Review.
- McMurray JJ**, Stewart S. Epidemiology, aetiology, and prognosis of heart failure. *Heart*. **2000** May; 83:596-602
- Medugorac I**. Characteristics of the hypertrophied left ventricular myocardium in Goldblatt rats. *Basic Res Cardiol*. **1977** Mar-Jun;72(2-3):261-7.
- Midgley JP**, Matthew AG, Greenwood CM, Logan AG. Effect of reduced dietary sodium on blood pressure: a meta-analysis of randomized controlled trials. *JAMA*. **1996** May 22-29;275(20):1590-7.
- Morimoto A**, Uzu T, Fujii T et al. Sodium sensitivity and cardiovascular events in patients with essential hypertension. *Lancet*. **1997** Dec 13;350(9093):1734-7.

- Moujahidine M**, Dutil J, Hamet P, Deng AY. Congenic mapping of a blood pressure QTL on chromosome 16 of Dahl rats. *Mamm Genome*. **2002** Mar;13(3):153-6.
- Mosterd A**, Cost B, Hoes AW et al. Grobbee DE. The prognosis of heart failure in the general population: The Rotterdam Study. *Eur Heart J*. **2001** Aug;22(15):1318-27.
- Muesan ML**, Salvetti M, Rizzoni D et al. Association of change in left ventricular mass with prognosis during long-term antihypertensive treatment. *J Hypertens* **1995**; 13: 1091–1095
- Mulvany MJ**, Baumbach GL, Aalkjaer C et al. Vascular remodeling [letter to the editor]. *Hypertension*. **1996**;28:505–506.
- North KE**, MacCluer JW, Devereux RB et al. Strong Heart Family Study. Heritability of carotid artery structure and function: the Strong Heart Family Study. *Arterioscler Thromb Vasc Biol*. **2002** Oct 1;22(10):1698-703.
- Nishijo N**, Sugiyama F, Kimoto K et al. Salt-sensitive aortic aneurysm and rupture in hypertensive transgenic mice that overproduce angiotensin II. *Lab Invest*. **1998** Sep;78(9):1059-66.
- Oike Y**, Yasunaga K, Suda T. Angiopoietin-related/angiopoietin-like proteins regulate angiogenesis. *Int J Hematol*. **2004** Jul;80(1):21-8. Review.
- Okamoto K**, **Aoki K**. Development of a strain of spontaneously hypertensive rats. *JpnCirc J* **1963**; 27: 282-293.
- Okamoto K**, Yamori Y, Nagaoka A. Establishment of the stroke-prone spontaneously hypertensive rat (SHR). *Circ. Res* **1974**; 34-35 (suppl. I): I43-I53.
- Page GP**, George V, Go RC et al. "Are we there yet?": deciding when one has demonstrated specific genetic causation in complex diseases and quantitative traits. *Am J Hum Genet*. **2003** Sep; 73:711–719.
- Palatini P**, Krause L, Amerena J et al. Genetic contribution to the variance in left ventricular mass: the Tecumseh Offspring Study. *J Hypertens*. **2001** Jul;19(7):1217-22.
- Palmieri V**, de Simone G, Roman MJ et al. Ambulatory blood pressure and metabolic abnormalities in hypertensive subjects with inappropriately high left ventricular mass. *Hypertension*. **1999** Nov;34(5):1032-40. Erratum in: *Hypertension* 2000 Jul;36(1):147.
- Pemberton CJ**, Raudsepp SD, Yandle TG et al. Plasma cardiotrophin-1 is elevated in human hypertension and stimulated by ventricular stretch. *Cardiovasc Res*. **2005** Oct 1;68(1):109-17.
- Pennica D**, King KL, Shaw KJ et al. Expression cloning of cardiotrophin 1, a cytokine that induces cardiac myocyte hypertrophy. *Proc Natl Acad Sci USA*. **1995** Feb 14;92(4):1142-6.

- Perry IJ.** Dietary salt intake and cerebrovascular damage. *Nutr Metab Cardiovasc Dis.* **2000** Aug;10(4):229-35. Review.
- Pfeffer JM,** Pfeffer MA, Frohlich ED. Validity of an indirect tail-cuff method for determining systolic arterial pressure in unanesthetized normotensive and spontaneously hypertensive rats. *J Lab Clin Med.* **1971** Dec;78(6):957-62.
- Pfeffer JM,** Pfeffer MA, Fishbein MC, Frohlich ED. Cardiac function and morphology with aging in the spontaneously hypertensive rat. *Am J Physiol.* **1979** Oct;237(4):H461-8.
- Piccirillo G,** Bucca C, Tarantini S et al. Left ventricular mass and heart rate variability in middle-aged and elderly salt-sensitive hypertensive subjects. *Arch Gerontol Geriatr.* **1999** Mar-Apr;28(2):159-77.
- Pickering GW.** The nature of essential hypertension. *Lancet* **1959**; ii: 1027-1028.
- Platt R.** Heredity in hypertension. *Q J Med* **1947**; 16: 111-133.
- Post WS,** Larson MG, Myers RH et al. Heritability of left ventricular mass: the Framingham Heart Study. *Hypertension.* **1997** Nov;30(5):1025-8.
- Pravenec M,** Simonet L, Kren V, et al. The rat renin gene: assignment to chromosome 13 and linkage to the regulation of blood pressure. *Genomics.* **1991** Mar;9(3):466-72.
- Pravenec M,** Gauguier D, Schott JJ et al. Mapping of quantitative trait loci for blood pressure and cardiac mass in the rat by genome scanning of recombinant inbred strains. *J Clin Invest.* **1995** Oct;96(4):1973-8.
- Rapp JP.** Genetic analysis of inherited hypertension in the rat. *Physiol Rev.* **2000** Jan;80(1):135-72. Review.
- Roman MJ,** Saba PS, Pini R et al. Parallel cardiac and vascular adaptation in hypertension. *Circulation.* **1992** Dec;86(6):1909-18.
- Rommens JM,** Zengerling-Lentes S, Kerem B et al. Physical localization of two DNA markers closely linked to the cystic fibrosis locus by pulsed-field gel electrophoresis. *Am J Hum Genet.* **1989** Dec;45(6):932-41.
- Ronin Y,** Korol A, Shtemberg M et al. High-resolution mapping of quantitative trait loci by selective recombinant genotyping. *Genetics.* **2003** Aug;164(4):1657-66.
- Rothermund L,** Luckert S, Kossmehl P et al. Renal endothelin ET(A)/ET(B) receptor imbalance differentiates salt-sensitive from salt-resistant spontaneous hypertension. *Hypertension.* **2001** Feb;37(2):275-80.
- Rothermund L,** Vetter R, Dieterich M et al. Endothelin-A receptor blockade prevents left ventricular hypertrophy and dysfunction in salt-sensitive experimental hypertension. *Circulation.* **2002** Oct 29;106(18):2305-8.

- Safar ME**, Thuilliez C, Richard V, Benetos A. Pressure-independent contribution of sodium to large artery structure and function in hypertension. *Cardiovasc Res*. **2000** May;46(2):269-76. Review.
- Savage DD**, Garrison RJ, Kannel WB et al. The spectrum of left ventricular hypertrophy in a general population sample: the Framingham Study. *Circulation*. **1987** Jan; 75(1 Pt 2): 126-33.
- Schillaci G**, Verdecchia P, Porcellati C et al. Continuous relation between left ventricular mass and cardiovascular risk in essential hypertension. *Hypertension*. **2000** Feb; 35(2): 580-6.
- Schunkert H**, Brockel U, Hengstenberg C et al. Familial predisposition of left ventricular hypertrophy. *J Am Coll Cardiol*. **1999** May;33(6):1685-91.
- Schmieder RE**, Messerli FH, Garavaglia GE, Nunez BD. Dietary salt intake. A determinant of cardiac involvement in essential hypertension. *Circulation*. **1988** Oct; 78(4):951-6.
- Schmieder RE**, Erdmann J, Delles C, et al. Effect of the angiotensin II type 2-receptor gene (+1675 G/A) on left ventricular structure in humans. *J Am Coll Cardiol*. **2001** Jan;37(1):175-82.
- Sebki A**, Zhao L, Lu L et al. Genetic determination of cardiac mass in normotensive rats: results from an F344xWKY cross. *Hypertension*. **1999** Apr;33(4):949-53.
- Siegel AK**, Planert M, Rademacher S et al. Genetic loci contribute to the progression of vascular and cardiac hypertrophy in salt-sensitive spontaneous hypertension. *Arterioscler Thromb Vasc Biol*. **2003** Jul 1;23(7):1211-7.
- Sivo Z**, Malo B, Dutil J, Deng AY. Accelerated congenics for mapping two blood pressure quantitative trait loci on chromosome 10 of Dahl rats. *J Hypertens*. **2002** Jan;20(1):45-53.
- Skrabal F**, Herholz H, Neumayr M et al. Salt sensitivity in humans is linked to enhanced sympathetic responsiveness and to enhanced proximal tubular reabsorption. *Hypertension*. **1984** Mar-Apr;6(2 Pt 1):152-8.
- Soller M**, Genizi A, Brody T. On the power of experimental designs for the detection of linkage between marker loci and quantitative loci in crosses between inbred lines. *Theor. Applied Genetics*. **1976** Jan, 47(1): 35–39.
- Sponer G**, Rosenthal J. Therapie der essenziellen Hypertonie. In: Rosenthal J, Kolloch R, Hrsg. *Arterielle Hypertonie*. 4. Auflage. Springer Verlag, Berlin, Heidelberg, **2004**:620-623
- Statistisches Bundesamt**. Todesursachen in Deutschland - Fachserie 12 Reihe 4 – 2004. **2005** Nov: Tabellenteil 2.1.

- Stunkard AJ**, Harris JR, Pedersen NL, McClearn GE. The body-mass index of twins who have been reared apart. *N Engl J Med.* **1990** May 24;322(21):1483-7.
- Sullivan JM**, Ratts TE. Sodium sensitivity in human subjects. Hemodynamic and hormonal correlates. *Hypertension.* **1988** Jun;11(6 Pt 2):717-23.
- Swynghedauw B**. Molecular mechanisms of myocardial remodeling. *Physiol Rev.* **1999** Jan;79(1):215-62. Review.
- Takeshita A**, Imaizumi T, Ashihara T, Nakamura M. Characteristics of responses to salt loading and deprivation in hypertensive subjects. *Circ Res.* **1982** Oct;51(4):457-64.
- Takimoto Y**, Aoyama T, Iwanaga Y et al. Increased expression of cardiotrophin-1 during ventricular remodeling in hypertensive rats. *Am J Physiol Heart Circ Physiol.* **2002** Mar;282(3):H896-901.
- Tanase H**, Yamori Y, Hansen CT, Lovenberg W. Heart size in inbred strains of rats. Part 1. Genetic determination of the development of cardiovascular enlargement in rats. *Hypertension.* **1982** Nov-Dec;4(6):864-72.
- Tingleff J**, Munch M, Jakobsen TJ et al. Prevalence of left ventricular hypertrophy in a hypertensive population. *Eur Heart J.* **1996** Jan;17(1):143-9.
- Vakili BA**, Okin PM, Devereux RB. Prognostic implications of left ventricular hypertrophy. *Am Heart J.* **2001** Mar;141(3):334-41.
- Van Ooijen JW**. Accuracy of mapping quantitative trait loci in autogamous species. *Theor Appl Genet.* **1992** Sep; 84(7-8):803-811.
- van Rossum CT**, van de Mheen H, Witteman JC et al.. Prevalence, treatment, and control of hypertension by sociodemographic factors among the Dutch elderly. *Hypertension.* **2000** Mar;35(3):814-21.
- Veal CD**, Capon F, Allen MH et al.. Family-based analysis using a dense single-nucleotide polymorphism-based map defines genetic variation at PSORS1, the major psoriasis-susceptibility locus. *Am J Hum Genet.* **2002** Sep;71(3):554-64. Epub 2002 Jul 29.
- Verdecchia P**, Schillaci G, Borgioni C et al. Prognostic significance of serial changes in left ventricular mass in essential hypertension. *Circulation* **1998**; 97: 48–54
- Verdecchia P**, Porcellati C, Reboldi G et al.. Left ventricular hypertrophy as an independent predictor of acute cerebrovascular events in essential hypertension. *Circulation.* **2001** Oct 23; 104(17): 2039-44.
- Verhaaren HA**, Schienken RM, Mosteller M et al.. Bivariate genetic analysis of left ventricular mass and weight in pubertal twins (The Medical College of Virginia Twin Study). *Am J Cardiol.* **1991**;68:661-668.

- Vincent M**, Hadour G, Orea V et al.. Left ventricular weight but not blood pressure is associated with sex chromosomes in Lyon rats. *J Hypertens.* **1996** Mar;14(3):293-9.
- Wallace MR**, Andersen LB, Saulino AM et al.. A de novo Alu insertion results in neurofibromatosis type 1. *Nature.* **1991** Oct 31;353(6347):864-6.
- Weinberger MH**, Miller JZ, Luft FC et al.. Definitions and characteristics of sodium sensitivity and blood pressure resistance. *Hypertension.* **1986** Jun;8(6 Pt 2):II127-34.
- Weinberger MH**. Salt sensitive human hypertension. *Endocr Res.* **1991a**;17(1-2):43-51.
- Weinberger MH**, Fineberg NS. Sodium and volume sensitivity of blood pressure. Age and pressure change over time. *Hypertension.* **1991b** Jul;18(1):67-71.
- Weinberger MH**, Fineberg NS, Fineberg SE, Weinberger M. Salt sensitivity, pulse pressure, and death in normal and hypertensive humans. *Hypertension.* **2001** Feb;37(2 Part 2):429-32.
- Werner N**, Nickenig G. Kardiovaskuläre Folgen der chronischen arteriellen Hypertonie. In: Rosenthal J, Kolloch R, Hrsg. *Arterielle Hypertonie.* 4. Auflage. Springer Verlag, Berlin, Heidelberg, **2004**: 513-517
- WHO**: World Health Organisation-International Society of Hypertension; Guidelines for the Management of Hypertension. *J Hypertens* **1999**; 17: 151-183
- Witte JS**, Elston RC, Schork NJ. Genetic dissection of complex traits. *Nat Genet.* **1996** Apr;12(4):355-6; author reply 357-8.
- Wolf-Maier K**, Cooper RS, Banegas JR et al.. Hypertension prevalence and blood pressure levels in 6 European countries, Canada, and the United States. *JAMA.* **2003** May 14;289(18):2363-9.
- Wollert KC**, Taga T, Saito M et al.. Cardiotrophin-1 activates a distinct form of cardiac muscle cell hypertrophy. Assembly of sarcomeric units in series VIA gp130/leukemia inhibitory factor receptor-dependent pathways. *J Biol Chem.* **1996** Apr 19;271(16):9535-45.
- Xiang F**, Sakata Y, Cui L, et al. Transcription factor CHF1/Hey2 suppresses cardiac hypertrophy through an inhibitory interaction with GATA4. *Am J Physiol Heart Circ Physiol.* **2006** May;290(5):H1997-2006.
- Yang LL**, Gros R, Kabir MG et al.. Conditional cardiac overexpression of endothelin-1 induces inflammation and dilated cardiomyopathy in mice. *Circulation.* **2004** Jan 20; 109(2): 255-61.
- Yoshida K**, Taga T, Saito M et al.. Targeted disruption of gp130, a common signal transducer for the interleukin 6 family of cytokines, leads to myocardial and hematological disorders. *Proc Natl Acad Sci U S A.* **1996** Jan 9;93(1):407-11.

- Yurenev AP**, Dyakonova HG, Novikov ID et al. Management of essential hypertension in patients with different degrees of left ventricular hypertrophy. *Am J Hypertens.* **1992**; 5: 182–189
- Zeng ZB**. Theoretical basis for separation of multiple linked gene effects in mapping quantitative trait loci. *Proc Natl Acad Sci USA.* **1993** Dec 1;90(23):10972-6.
- Zhang L**, Summers KM, West MJ. Angiotensin I converting enzyme gene cosegregates with blood pressure and heart weight in F2 progeny derived from spontaneously hypertensive and normotensive Wistar-Kyoto rats. *Clin Exp Hypertens.* **1996** Aug;18(6):753-71.
- Zhang SQ**, Ding B, Guo ZG, Li YX. Inhibitory effect of antisense oligodeoxynucleotide to p44/p42 MAPK on angiotensin II-induced hypertrophic response in cultured neonatal rat cardiac myocyte. *Acta Pharmacol Sin.* **2004** Jan;25(1):41-6.