

Contents

Abstract	I
Kurzfassung	III
Contents	V
Nomenclature	X
List of Figures	XIII
List of Tables	XVI
1 Introduction	1
1.1 Current Challenges of Screening and Their Impact on Bioprocess Development	1
1.2 Glass Adhesion Technology	3
1.2.1 Current Glass Joining Technologies and Their Drawbacks	3
1.2.2 Adhesion	3
1.2.3 Influences on Adhesive Joints and Their Durability	4
1.2.3.1 Adhesives	5
1.2.3.2 Materials in Biotechnological and Medical Devices	6
1.2.3.3 Surface Pre-treatment	7
1.2.3.4 Joint Design and Testing of Its Performance	9
1.2.3.5 Sterilisation as Severe Environmental Conditions	12
1.3 Dialysis Shake Flask Harmonising Screening and Production Conditions	13
1.4 Objectives	16
2 Development of an Autoclavable Glass Adhesion Technique	17
2.1 Introduction	17
2.2 Materials and Methods	18
2.2.1 Materials	18
2.2.2 Specimen Preparation	20
2.2.3 Specimen Geometries	20
2.2.4 Accelerated Aging	22
2.2.5 Shear and Tensile Strength Tests	22

2.2.6	Screening	22
2.2.7	Characterisation of Adhesive Properties	23
2.2.8	Characterisation of Glass Surfaces	24
2.3	Results and Discussion	24
2.3.1	Screening	24
2.3.2	Shear Strength under Autoclaving Conditions	28
2.3.3	Impact of the Physicochemical Properties of the Adhesive	30
2.3.3.1	Reverse Strength and Extensibility Behaviour of Acrylates and Epoxies in Tensile Test	30
2.3.3.2	Glass Transition Temperature of the Model Adhesives M-31 CL and GB 368 and Their Water Uptake	32
2.3.4	Surface Topologies of Glass Materials	34
2.3.5	Influence of Surface Pre-Treatment	35
2.3.6	Colour Changes of Adhesives by Frequent Steam Sterilisation	36
2.4	Conclusion	36

3 Refining Bioreactor Design Using the Autoclavable Glass Adhesion Technique 39

3.1	Introduction	39
3.2	Material and Methods	40
3.2.1	Materials	40
3.2.2	Curing Procedure	40
3.2.3	Accelerated Aging by Autoclaving	40
3.2.4	Investigation of Practice-Relevant Parameters	41
3.2.4.1	Cleaning	41
3.2.4.2	Loading During Autoclaving	41
3.2.4.3	Fermentation Compounds	42
3.2.4.4	Model Microorganisms	42
3.2.5	Refining the Design of Two Small-Scale Bioreactors Using the Autoclavable Glass Adhesion Technique	44
3.2.5.1	Manufacturing of the Bonded RAMOS Flask	44
3.2.5.2	Validation of the New Bonded RAMOS Flask	46
3.2.5.3	Manufacturing of the Bonded COSBIOS Reactor	47
3.3	Results and Discussion	48
3.3.1	Impact of Practice-Relevant Parameters	48
3.3.1.1	Impact of Cleaning	48
3.3.1.2	Impact of Loading During Autoclaving	52
3.3.1.3	Impact of Ethanol and Acetic Acid	52
3.3.1.4	Interactions of Adhesives and Cultivated Microorganisms	54

3.3.2	Refining the Design of Two Small-scale Bioreactors Using the Autoclavable Glass Adhesion Technique	55
3.3.2.1	Bonded RAMOS Flask	55
3.3.2.2	New Design of the COSBIOS Reactor	57
3.4	Conclusion	59
4	Optimisation of the Dialysis Fed-Batch Shake Flask	60
4.1	Introduction	60
4.2	Material and Methods	64
4.2.1	The New Bonded Fed-Batch Offline Flask	64
4.2.1.1	Set-up	64
4.2.1.2	Adaption of the Gas Transfer	66
4.2.2	The New Bonded Fed-Batch RAMOS Flask	67
4.2.2.1	Set-up	67
4.2.2.2	Manufacturing of the New Fed-Batch RAMOS Flask	68
4.2.3	Handling Optimisation	69
4.2.3.1	Assembly of Diffusion Tip and Membrane Fixation	69
4.2.3.2	Vacuum Filling	71
4.3	Results and Discussion	72
4.3.1	Design Optimisation	72
4.3.2	System Optimisation	74
4.3.3	Validation	75
4.4	Conclusion	78
5	Benefit of Screening in Fed-Batch Mode Using the Dialysis Shake Flask	80
5.1	Introduction	80
5.2	Material and Methods	80
5.2.1	Strains	80
5.2.2	Media	82
5.2.3	Preparation of Dialysis Fed-Batch Shake Flask	83
5.2.4	Cultivation Conditions	83
5.2.5	Offline Analysis	85

5.3 Results and Discussion	87
5.3.1 Principle of Fed-batch Cultivations Using the Dialysis Fed-batch Shake Flask	87
5.3.2 Comparing Strain Performance of Different Microbial Systems in Batch and Fed-Batch Mode	90
5.3.2.1 <i>Escherichia coli</i> BL21 (DE3) pRhotHi-2 EcFbFP	91
5.3.2.2 <i>Corynebacterium glutamicum</i> DM1730	94
5.3.2.3 <i>Hansenula polymorpha</i> RB11 pC10-FMD (P _{FMD} -GFP)	96
5.3.3 Applicability of the Dialysis Shake Flask to Plant Cell Fed-Batch Cultivations	100
5.3.4 Flexibility of the Dialysis Fed-Batch Shake Flask and Its Potentials	105
5.3.4.1 Easy Adjustment of Feed Rate	105
5.3.4.2 Feeding Various Dissolved Nutrients	106
5.3.4.3 Feeding Glycerol	108
5.3.4.4 Feed Supplementation During Cultivation	111
5.3.4.5 Additional Diffusion Barrier	112
5.3.5 Comparing the Dialysis Fed-Batch Shake Flask to Other Systems for Small-Scale Fed-Batch Cultivations	114
5.4 Conclusions	116
 6 Experimental Characterisation of the Diffusive Fluxes in the Dialysis Fed-Batch Shake Flask	 118
6.1 Introduction	118
6.2 Materials and Methods	119
6.2.1 Static Release Kinetic Studies	119
6.2.2 Dynamic Release Kinetic Studies Under Shaken Conditions	121
6.2.3 Calculation of the Diffusive Glucose and Water Fluxes	121
6.3 Results and Discussion	123
6.3.1 Investigation of Different Parameters on the Glucose Release in the Dialysis Fed-Batch Shake Flask	123
6.3.2 Quantification of Glucose Release and Water Counterdiffusion	125
6.3.3 Dependency of the Driving Concentration Gradient on Glucose Release and Water Counterdiffusion	130
6.3.4 Transferability of Diffusive Flux Quantification from Static Release Kinetic Studies to Shaken Cultivations	134
6.4 Conclusions	135

7 Summary and Outlook	136
7.1 Summary	136
7.1.1 Autoclavable Glass Adhesion Technique	136
7.1.2 Refining Bioreactor Design	137
7.1.3 Dialysis Fed-Batch Shake Flask	137
7.1.4 Benefit of Screening in Fed-Batch Mode Using the Dialysis Fed-Batch Shake flask	138
7.1.5 Experimental Characterisation of Diffusive Fluxes in the Dialysis Fed-Batch Shake Flask	139
7.2 Outlook	139
8 Bibliography	142
Appendix A: Media	162
Media for <i>Escherichia coli</i> BL21 (DE3) pRhotHi-2-EcFbFP	163
Luria-Bertani (LB) Medium	163
Wilms-MOPS Medium for Main Cultivations	163
Media for <i>Corynebacterium glutamicum</i> DM1730	165
CGIII Medium	165
Modified CGXII Medium for Main Cultivations	165
Media for <i>Hansenula polymorpha</i> RB11 pC10-FMD (P _{FMD} -GFP)	168
YPD Medium	168
Syn6-MES Medium for Main Cultivations	169
Appendix B: Technical Drawings of Refined Bioreactors	171