

Contents

List of Contributors ix

| | | |
|----------|---------------------------------------------------------------------------------------|----------|
| 1 | Stille Polycondensation: A Versatile Synthetic Approach to Functional Polymers | 1 |
| | Tianyue Zheng, Alexander M. Schneider, and Luping Yu | |
| 1.1 | Introduction | 1 |
| 1.1.1 | History of the Stille Reaction (and Polycondensation) | 2 |
| 1.2 | Reaction Mechanism | 3 |
| 1.2.1 | Simplified Mechanism | 3 |
| 1.3 | Reaction Conditions | 6 |
| 1.3.1 | Catalyst and Ligand | 7 |
| 1.3.2 | Solvent | 9 |
| 1.3.3 | Additive | 10 |
| 1.3.4 | Temperature | 11 |
| 1.4 | Examples of Functional Materials Synthesized by Stille Polycondensation | 12 |
| 1.4.1 | Nonlinear Optical (NLO) polymers | 13 |
| 1.4.1.1 | Background | 13 |
| 1.4.1.2 | Examples of NLO Polymers Synthesized by Stille Polycondensation | 13 |
| 1.4.2 | Organic Photovoltaic Polymers | 16 |
| 1.4.2.1 | Background | 16 |
| 1.4.2.2 | Examples of Donor Polymers | 17 |
| 1.4.2.3 | Examples of Acceptor Materials | 23 |
| 1.4.3 | Organic Field Effect Transistor (OFET) Polymers | 28 |
| 1.4.3.1 | Background | 28 |
| 1.4.3.2 | Examples of FET Polymers Synthesized by Stille Polycondensation | 32 |
| 1.4.4 | Organic Light-Emitting Diode (OLED) Polymers | 35 |
| 1.4.4.1 | Background | 35 |
| 1.4.4.2 | Examples of OLED Polymers Synthesized by Stille Polycondensation | 36 |
| 1.4.5 | Other Functional Materials | 38 |
| 1.5 | Challenge and Outlook | 42 |
| 1.5.1 | Advantages of the Stille Reaction | 42 |
| 1.5.2 | Disadvantages of Stille Reaction | 44 |
| 1.6 | Summary | 47 |
| | References | 48 |

| | | |
|----------|--------------------------------------------------------------------------------------|-----------|
| 2 | Suzuki Polycondensation | 59 |
| | <i>Anurag Krishna, Andrey V. Lunchev, and Andrew C. Grimsdale</i> | |
| 2.1 | Introduction | 59 |
| 2.2 | Mechanism of Suzuki Coupling and Suzuki Polycondensation | 60 |
| 2.3 | Catalysts | 62 |
| 2.4 | Reaction Conditions for Suzuki Coupling | 65 |
| 2.4.1 | Bases, Water, Solvents | 66 |
| 2.4.2 | Microwave-Assisted Reactions | 67 |
| 2.5 | Side Reactions | 67 |
| 2.6 | AB versus AA/BB Suzuki Polycondensation | 71 |
| 2.7 | Monomer Purity, Stoichiometry, and Solvents | 73 |
| 2.8 | Monomers for SPC | 75 |
| 2.8.1 | Boron Monomers | 75 |
| 2.8.2 | Halide and Other Monomers | 80 |
| 2.9 | Chain Growth SPC | 81 |
| 2.10 | Scope and Applications of SPC | 82 |
| 2.11 | Conclusion | 85 |
| | References | 86 |
| 3 | Controlled Synthesis of Conjugated Polymers and Block Copolymers | 97 |
| | <i>Tine Hardeman, Marie-Paule Van Den Eede, Lize Verheyen, and Guy Koeckelberghs</i> | |
| 3.1 | Introduction | 97 |
| 3.2 | Approaches to Controlled Polymerizations | 97 |
| 3.2.1 | Catalyst Transfer Polymerizations | 97 |
| 3.2.1.1 | Mechanism | 97 |
| 3.2.1.2 | Kumada Catalyst Transfer Polycondensation | 99 |
| 3.2.1.3 | Negishi Catalyst Transfer Polycondensation | 102 |
| 3.2.1.4 | CTP Based on Suzuki–Miyaura Couplings | 102 |
| 3.2.1.5 | CTP Based on Other Coupling Reactions | 103 |
| 3.2.2 | Controlled Polymerizations Based on Deactivation of the Monomer | 103 |
| 3.2.2.1 | Mechanism | 103 |
| 3.2.2.2 | Pd(RuPhos) Protocol | 104 |
| 3.2.2.3 | Miscellaneous | 104 |
| 3.3 | End-Functionalized Polymers | 106 |
| 3.3.1 | Introduction | 106 |
| 3.3.2 | External Functionalized Initiators | 106 |
| 3.3.2.1 | Principle | 106 |
| 3.3.2.2 | External Initiators with Ni as Catalyst | 106 |
| 3.3.2.3 | External Initiators with Pd as Catalyst | 109 |
| 3.3.2.4 | Grafting-from | 110 |
| 3.3.3 | End-Capping | 111 |
| 3.3.3.1 | Principle | 111 |
| 3.3.3.2 | End-Capping with Ni as Catalyst | 111 |
| 3.3.3.3 | End-Capping with Pd as Catalyst | 112 |
| 3.3.4 | Heterobifunctional Conjugated Polymers | 112 |
| 3.4 | Block Copolymers | 112 |

| | | |
|----------|--------------------------------------------------------------------------------------------------------|------------|
| 3.4.1 | Grafting-to Method | 112 |
| 3.4.2 | End-Functional Polymer Copolymerization Method | 113 |
| 3.4.3 | Grafting-from Method | 114 |
| 3.4.4 | Sequential Monomer Addition | 114 |
| 3.5 | Other Copolymers | 117 |
| | References | 117 |
| 4 | Direct (Hetero)arylation Polymerization | 131 |
| | <i>Mario Leclerc and Serge Beaupré</i> | |
| 4.1 | Introduction | 131 |
| 4.2 | First Examples of Direct (Hetero)arylation Polymerization | 134 |
| 4.3 | Selectivity and Reactivity Problems | 138 |
| 4.4 | En Route to Defect-Free Conjugated Polymers | 142 |
| 4.5 | Outlook | 150 |
| | References | 150 |
| 5 | Continuous Flow Synthesis of Conjugated Polymers and Carbon Materials | 159 |
| | <i>Valerie D. Mitchell and Wallace W.H. Wong</i> | |
| 5.1 | Introduction to Flow Chemistry | 159 |
| 5.2 | Conjugated Polymers | 161 |
| 5.3 | Carbon Materials | 173 |
| 5.4 | Material Processing | 177 |
| 5.5 | Summary | 178 |
| | References | 178 |
| 6 | Synthesis of Structurally Defined Nanographene Materials through Oxidative Cyclodehydrogenation | 183 |
| | <i>Akimitsu Narita</i> | |
| 6.1 | Introduction | 183 |
| 6.2 | Synthesis of Nanographene Molecules through Oxidative Cyclodehydrogenation | 186 |
| 6.2.1 | Solution Synthesis of Extended Nanographene Molecules with FeCl_3 and AlCl_3 | 186 |
| 6.2.2 | Complementary Cyclodehydrogenation Methods for the Solution Synthesis of Nanographene Molecules | 188 |
| 6.2.3 | Synthesis of Nanographene Molecules with Seven- and Eight-Membered Rings | 195 |
| 6.2.4 | Synthesis of Heteroatom-Doped Nanographene Molecules | 198 |
| 6.2.5 | Nanographene Molecules through Surface-Assisted Cyclodehydrogenation | 202 |
| 6.3 | Bottom-Up Synthesis of Graphene Nanoribbons | 204 |
| 6.3.1 | Graphene Nanoribbons from Solution-Mediated Cyclodehydrogenation | 205 |
| 6.3.2 | Graphene Nanoribbons from Surface-Assisted Cyclodehydrogenation | 208 |
| 6.4 | Conclusions | 217 |
| | References | 218 |

| | | |
|----------|----------------------------------------------------------------------------------|------------|
| 7 | Photochemical and Direct C–H Arylation Routes toward Carbon Nanomaterials | 229 |
| | <i>Jean-Francois Morin, Maxime Daigle, and Maude Desroches</i> | |
| 7.1 | Introduction | 229 |
| 7.2 | Photochemical Routes toward PAHs and Carbon Nanomaterials | 231 |
| 7.2.1 | Photochemical Dehydrogenation | 231 |
| 7.2.2 | Photochemical Dehydrohalogenation (CDH) | 237 |
| 7.2.3 | Miscellaneous Photocyclization Reaction | 242 |
| 7.3 | Intramolecular Direct Arylation C–H | 243 |
| 7.3.1 | Conclusion and Perspective | 249 |
| | References | 250 |
| 8 | Carbon-Rich Materials from sp-Carbon Precursors | 255 |
| | <i>Dominik Prenzel and Rik R. Tykwienski</i> | |
| 8.1 | Introduction | 255 |
| 8.2 | Carbyne | 256 |
| 8.3 | Solid-State Reactions of Polyyynes: Topochemical Polymerizations | 261 |
| 8.4 | Diyne Polymerization | 261 |
| 8.5 | Tubular Structures | 264 |
| 8.6 | Beyond Diynes – Topochemical Polymerization of Polyyynes | 268 |
| 8.7 | Toward “Nanographene” | 272 |
| 8.8 | Pentalenes | 274 |
| 8.9 | Modification of sp-Precursors with Tetracyanoethylene (TCNE) | 275 |
| 8.10 | Thermal Dimerization of Cumulenes | 278 |
| 8.11 | Outlook: From Solution to Surface? | 278 |
| 8.12 | Summarizing Comments | 282 |
| | Acknowledgments | 286 |
| | References | 286 |
| | Index | 293 |