

Contents

1. Summary	V
2. Zusammenfassung	VI
3. Introduction	1
3.1. Aims of this work	2
4. Single molecule localisation microscopy	3
4.1. The diffraction limit	3
4.1.1. The image of a single fluorescent molecule	3
4.2. Circumventing the diffraction limit by single molecule localisation	8
4.2.1. Photo-convertible fluorescent dyes	9
4.2.2. Imaging conditions	11
4.3. 2D images: How to obtain the position in the focal plane	11
4.3.1. The model	12
4.3.2. Fitting algorithms	12
4.3.3. Localisation accuracy	13
4.4. 3D images: How to obtain the axial position	16
4.4.1. Biplane imaging	16
4.4.2. Astigmatic detection	20
4.4.3. Interferometric detection	22
4.4.4. Comparison of the theoretically achievable localisation accuracies	28
5. The setup	29
5.1. The dual-objective single molecule localisation microscope	29
5.1.1. The illumination beam path	29
5.1.2. The detection beam path	31
5.1.3. The objective lenses	32
5.1.4. Samples and sample holder	34
5.1.5. Motion control for fine adjustment	36
5.1.6. Dispersion compensation	36
5.1.7. Mirrors	37
5.1.8. Vibration, temperature and stray light isolation	38

5.1.9. Device control	38
5.2. Adjustment of the beam path	39
5.2.1. General installation of the system	39
5.2.2. The biplane detection path	40
5.2.3. The astigmatic detection path	40
5.2.4. The interferometric detection path	41
5.3. Particle localisation	50
5.3.1. The particle localisation algorithm	50
5.3.2. x and y estimation	53
5.3.3. z estimation	54
6. Quantification of the microscope's performance	61
6.1. Preparation of bead samples	61
6.2. Detection PSFs	62
6.2.1. PSF acquisition	62
6.2.2. Measured PSFs	62
6.2.3. Effect of polarisation on the interferometric PSF	67
6.3. Measured and computed localisation accuracy for ideal emitters	68
6.3.1. Accuracy measurement	68
6.3.2. Localisation accuracy for biplane detection	70
6.3.3. Localisation accuracy for astigmatic detection	70
6.3.4. Localisation accuracy for interferometric detection	71
6.3.5. Comparison of the localisation accuracies	72
6.4. Measured and computed localisation accuracy at realistic brightness for all three colour channels	72
6.4.1. Localisation accuracy for biplane detection	75
6.4.2. Localisation accuracy for astigmatic detection	75
6.4.3. Localisation accuracy for interferometric detection	77
6.4.4. Comparison of the localisation accuracies	78
7. Proof-of-principle dSTORM measurements	80
7.1. dSTORM imaging	80
7.1.1. dSTORM sample preparation	80
7.1.2. Image acquisition and reconstruction	81
7.2. Stained microtubules	82
7.2.1. Staining procedure	82
7.2.2. STED imaging of microtubules	83
7.2.3. dSTORM imaging of microtubules	85
7.3. Custom 3D DNA structure	90
7.3.1. Immobilisation of DNA structures on the cover glass	90

7.3.2. 3D reconstruction	91
7.3.3. Distance analysis	91
8. Conclusions and outlook	99
8.1. Localisation accuracy	99
8.1.1. Biplane detection	100
8.1.2. Astigmatic detection	101
8.1.3. Interferometric detection	101
8.2. dSTORM examples	102
8.2.1. Refractive index matching	102
8.2.2. Stained microtubules	103
8.2.3. DNA construct	104
8.3. Outlook	105
A. Detailed description of the microscope's PSF	107
A.1. The image-forming system	107
A.1.1. Magnification of an infinity-corrected imaging system	107
A.2. The intensity distribution generated by a radiating dipole	109
A.2.1. Dipole radiation	110
A.2.2. The beam path	110
A.2.3. Diffraction by the finite aperture	113
A.2.4. Simulations	126
A.2.5. Intensity distribution for biplane detection	130
A.2.6. Intensity distribution for astigmatic detection	132
A.2.7. Intensity distribution for interferometric detection	137
B. Integral equations	141
B.1. Method of stationary phase	141
B.2. Bessel function integrals	146
C. Phase shift in a beamsplitter	149
D. The limit of localisation accuracy	151
D.1. The accuracy of estimates	151
D.2. Application to single molecule localisation	154
D.2.1. Numerical implementation	155
D.2.2. Comparison with experimental values	158
Bibliography	161
Abbreviations	167

List of Figures	169
List of Tables	172
Curriculum Vitae	173
Thanks	175