

CONTENTS

I. General Aspects

Adolf Martens and the Research on Martensite <i>H. Czichos</i> , Berlin, FRG	3
---	---

A Comparative Review of the (Potential) Shape Memory Alloys <i>J. Van Humbeeck</i> , <i>L. Delaey</i> , Leuven, Belgium	15
--	----

Transmission Electron Microscopy and Mobility of Interfaces, Hysteresis and Internal Friction <i>R. Gotthardt</i> , <i>J. Stoiber</i> , Lausanne, Switzerland	27
---	----

The Two Way Memory Effect in relation to the nucleation and growth of martensite <i>G. Guénin</i> , Lyon, France	39
--	----

II. Fundamentals

On the Mechanism of Martensite Nucleation <i>W. Krauss</i> , <i>H. Gleiter</i> , Saarbrücken, FRG; <i>S. K. Pabi</i> , Kharagpur, India	55
--	----

Technological Application of the Martensitic Transformation of some Austenitic Stainless Steels <i>U. Reichel</i> , Krefeld; <i>B. Gabriel</i> , <i>W. Dahl</i> , Aachen; <i>M. Kesten</i> , <i>B. Meier</i> , Köln, FRG	61
---	----

A Model for the Simulation of Shape Memory Behaviour <i>I. Müller</i> , Berlin	69
---	----

On the Thermodynamics of Thermoelastic Martensitic Transformations. A critical Analysis of Calorimetric Measurements <i>J. Ortín</i> , <i>A. Planes</i> , Barcelona, Spain	75
--	----

Lattice Instabilities during Martensitic Transformation in Cu-Zn-Al Alloys by Nuclear Magnetic Resonance <i>S. Rubini</i> , <i>C. Dimitropoulos</i> , <i>R. Gotthardt</i> , Lausanne, Switzerland	83
---	----

Direct Calorimetric Measurements in Stress Induced Transformations <i>E. Cesari</i> , Palma de Mallorca, Spain; <i>M. Sade</i> , Bariloche, Argentina; <i>E. Hornbogen</i> , Bochum, FRG	89
--	----

Stepwise Transformation of Stress Induced Martensite in Ni-Ti Alloy <i>J. Jin</i> , <i>Y. Zhang</i> , Shanghai, China	93
--	----

Fractal Dimensions of Martensitic Microstructures <i>E. Hornbogen</i> , Bochum, FRG	97
--	----

Crystal Structure of Cu-Zn-Al Martensite <i>M. Zolliker</i> , <i>W. Bührer</i> , Zürich; <i>R. Gotthardt</i> , Lausanne, Switzerland; <i>J. V. Humbeeck</i> , Leuven, Belgium	105
---	-----

The Role of Ordering in the Loss of Shape Memory in some Copper-base Alloys <i>O. Adiguzel</i> , Elazig, Turkey; <i>L. Chandrasekaran</i> , <i>A. P. Miodownik</i> , Surrey, UK.	109
---	-----

Lattice Dynamics and Phase Transitions of NiTi	115
<i>M. Müllner, G. Herget, M. Keil, Frankfurt; G. Eckold, Aachen;</i>	
<i>J. B. Suck, W. Weber, Karlsruhe; H. Jex, Ulm, FRG</i>	

III. Shape Memory Alloys

1. Thermal and Thermomechanical Aspects

Thermal and Mechanical Fatigue of Shape Memory Alloys	125
<i>M. Sade, E. Hornbogen, Bochum, FRG</i>	
Thermomechanical Behavior of Shape Memory Alloys	133
<i>E. Patoor, A. Eberhardt, M. Berveiller, Metz, France</i>	
Effect of Ageing on Martensitic Transformation in CuZn and CuZnSn Alloys	141
<i>J. Dutkiewicz, J. Morgiel, Krakow, Poland</i>	
Thermal and Thermomechanical Stability of Cu-Al-Ni Shape Memory Effect	149
<i>P. Rodriguez, G. Guénin, Villeurbanne, France</i>	
Stability and ageing of the Two Way Shape Memory Effect in a Cu-Zn-Al Alloy	157
<i>L. Contardo, P. Naudot, Serfontaine; G. Guénin, Villeurbanne, France</i>	
Stabilization of Martensite in Cu-Zn-Si Alloy	165
<i>J. Dutkiewicz, T. Czeppe, Krakow, Poland; C. Y. Zahra, Marseille, France</i>	
Calorimetric Study of Pseudoelastically Cycled Cu-Zn-Al Single Crystals	173
<i>M. Sade, Bariloche, Argentina; C. Picornell, E. Cesari, Palma de Mallorca, Spain</i>	
Cp Measurements on the Shape Memory Alloy Ni-52Ti	179
<i>Q. Jiang, R. Lück, B. Predel, Stuttgart, FRG; J. F. Smith, Ames, USA</i>	

III. Shape Memory Alloys

2. Alloy Development and Applications

Control of the Transformation Temperatures of TiNi Shape Memory Alloys by Ternary Additions	187
<i>P. M. Kleinherenbrink, J. Beyer, Twente, The Netherlands</i>	
Wide Hysteresis NiTiNb Alloys	191
<i>T. W. Duerig, K. N. Melton, Menlo Park, USA</i>	
Resistance Welding of TiNi-Shape Memory Alloys	199
<i>J. Beyer, E. J. M. Hiensch, Twente; P. A. Besselink, Hengelo, N. L.</i>	
CADSMA: Computer Aided Design of Shape Memory Alloys	207
<i>R. Stalmans, J. Van Humbeeck, L. Delaey, Leuven, Belgium</i>	
Properties and Applications of Shape Memory Actuators	213
<i>P. Tautzenberger, Pforzheim, FRG</i>	
Industrial Applications of Nickel-Titanium Shape Memory Alloys	223
<i>D. Stöckel, Menlo Park, CA., USA</i>	
Comparison of the Properties of Shape Memory Actuators and Thermobimetals	231
<i>P. Tautzenberger, Pforzheim, FRG</i>	

Nickel-Iron-Aluminium Shape Memory Alloys with Improved Properties by Rapid Solidification	237
<i>P. Johansson, J. Liu, S. Savage, Stockholm, Sweden</i>	
Applications of NiTi-based Shape Memory Alloys	245
<i>P. Schmidt-Mende, G. Block, Essen, FRG</i>	
Shape Memory Effect in Fe-Mn-Si Alloys	249
<i>M. Sade, E. Hornbogen, Bochum, FRG</i>	

III. Shape Memory Alloys

3. Fe-Based Alloys

Influence of Thermomechanical Treatments and Cycling on the Martensitic Transformation and Shape Recovery of Fe-Mn-Si Alloys	259
<i>Y. Vanderveken, J. Van Humbeeck, G. Ghosh, L. Delaey, Leuven, Belgium</i>	
Rapidly Solidified Fe-Mn-based Shape Memory Alloys	267
<i>P. Donner, E. Hornbogen, Bochum, FRG</i>	
Role of Austenite Microstructure on Martensitic Transformation in Fe-Ni-Co-Ti-Shape Memory Alloys	273
<i>N. Jost, Bochum, FRG</i>	
Mechanical Properties of Fe-Ni-Co-Ti-Shape Memory Alloys	281
<i>K. Escher, N. Jost, Bochum, FRG</i>	
Modeling of Hysteresis in Martensite Transformation	287
<i>L. Lü, E. Aernoudt, L. Delaey, Leuven, Belgium</i>	

III. Shape Memory Alloys

4. Transformation Characteristics

Hysteresis Effects during Martensitic Transformation in Cu-Zn-Al Shape Memory Alloys	297
<i>J. Stoiber, R. Gotthardt, Lausanne, Switzerland</i>	
<i>J. Van Humbeeck, Leuven, Belgium</i>	
Step-wise Stress-free Martensitic Transformation in the NiTi System	305
<i>G. Airoidi, G. Riva, Milano, Italy</i>	
On the Origin of Acoustic Emission during Thermoelastic Martensitic Transformations	313
<i>L. Mañosa, A. Planes, Barcelona, Spain;</i>	
<i>D. Rouby, P. Fleischmann, J. L. Maqueron, M. Morin, Villeurbanne, France</i>	
On the Hysteresis in Shape Memory Alloys	319
<i>H. Xu, I. Müller, Berlin, FRG</i>	
Internal Friction Study of Cu-Zn-Al Martensite	325
<i>M. Morin, M. Haouriki, G. Guénin, Villeurbanne, France</i>	
Austenite Textures in Ni-Ti and Cu-based Shape Memory Alloys	333
<i>S. Eucken, Bochum; J. Hirsch, Aachen, FRG</i>	

IV. Medical Applications

Strain-Induced Martensitic Transformation in Fatigued Cast Co-Cr-Mo Alloy Used for Surgical Implants	343
<i>L. Z. Zhuang, E. W. Langer, Lyngby, Denmark</i>	
Thermomechanical Characterization and Medical Application of NiTi Shape Memory Alloys	353
<i>M. Thier, Institut für Werkstoffe, Bochum, FRG</i>	

V. Steels

1. Microstructures

Metastable Ferrous Austenite – Consequences on Fracture and Tribology	361
<i>I. Schmidt, Friedrichshafen, FRG</i>	
On the Volume Fraction vs. Temperature Function of Martensitic Transformation in Iron-Base-Alloys	373
<i>B. Skrotzki, E. Hornbogen, Bochum, FRG</i>	
Texture and Microstructure of Lath Martensite	381
<i>H. Weiland, H. J. Bunge, Clausthal, FRG; L. M. Matthews, Randburg, South Africa</i>	
Technological Aspects of New Martensitic Nitrogen Steels	389
<i>H. Berns, Bochum, FRG</i>	
Interaction of Dynamic Strain Aging and Transformation of Retained Austenite to Martensite	397
<i>R. Bartels, D. Löhe, E. Macherauch, Karlsruhe, FRG</i>	
Lattice Structure of Low Temperature Deformed Fe-Ni-C Martensite	405
<i>K. Ullakko, J. Pietikäinen, Espoo, Finland</i>	
Effect of Thermo-mechanical Treatment on Reverse Transformation Behaviour and Micro-duplex Structure Formation in Fe-Ni Alloys	411
<i>T. Abe, C. M. Sellars, Sheffield, U. K.</i>	
Martensite Formation in Austempered Ductile Iron with Unidirectional and Cyclic Loading	419
<i>R. Bösch, H. Bomas, P. Mayr, H. Vethers, Bremen, FRG</i>	
Martensitic Transformation during the Sintering of High Strength P/M Silicon-Manganese Steels	427
<i>D. A. Karandikar, Patiala, India</i>	
The Morphology and fine Structure of Martensite in Fe-Ni-C Alloys	435
<i>H. L. Cao, Y. Y. Guo, X. M. Zhang, Shenyang, China</i>	
Orientation Dependence of Martensitic and Reverse Transformations in a Textured Fe-30% Ni Alloy	441
<i>W. P. Liu, H. J. Bunge, Clausthal, FRG</i>	

V. Steels

2. Mechanical Properties

Transformation Plasticity and Resulting Microstructures for Strain-induced Martensitic Transformation in Fe-Ni-C Alloys <i>E. Gautier, A. Simon, Nancy, France; X. M. Zhang, Shenyang, China</i>	451
Reverse Austenite and its Effect on Mechanical Properties <i>Y. Zhang, Shanghai, China</i>	459
Microstructure Strength Relationship of Low Carbon Martensite <i>W. Österle, Berlin, FRG</i>	465
Development of High-Strength Martensite by Age-Hardening of Coherent Intermetallic Precipitates <i>A. S. Schulz-Beenen, H. P. Hougardy, Düsseldorf, FRG</i>	473
Influence of Nitrogen on Low Temperature Stress-induced Martensitic Transformation in 316 L Stainless Steel and its Consequences on the Mechanical Behavior <i>J.-B. Vogt, J. Foct, Lille; J. Dhers, Firminy, France</i>	481
A Micromechanical Explanation of Transformation Induced Plasticity (TRIP) Applied to Austenite-Martensite Transformation <i>F. D. Fischer, A. Pichler, Leoben; W. Mittler, Kapfenberg, Austria</i>	487
Residual Austenite and its Effect on Fracture Toughness of Coarse-Grained Heat-Affected Zone of H. S. L. A. Steels <i>R. Taillard, J. Foct, Lille; P. Verrier, T. Maurickx, Dunkerque, France</i>	495

VI. Transformations in Mn-, Ti-, Zr-Alloys and Ceramics

Strain Relief Twinning Due to Vacancy Ordering in $\text{YBa}_2\text{Cu}_3\text{O}_x$ <i>H. Warlimont, P. Schrey, J. Tenbrink, Hanau, FRG</i>	505
Fractal Aspects of the Martensitic Transformation in Zirconia <i>W. Wunderlich, Düsseldorf, FRG</i>	513
Nucleation of the Martensitic Transformation of ZrO_2 in the System $\text{Al}_2\text{O}_3\text{-ZrO}_2$ <i>S. Schmauder, Stuttgart, FRG</i>	519

Table 2	524
---------	-----

List of Authors	525
-----------------	-----

Subject Index	529
---------------	-----