

Contents

| | |
|--|---------------|
| Chapter 1 Introduction and Geological Background | 1 |
| 1.1 Granites and the Continental Crust | 1 |
| 1.2 Chemical and Mineralogical Characteristics of Some Important Granite Types | 2 |
| 1.3 Granite Magmatism and the Formation of the Continental Crust | 9 |
| 1.4 Granite and Water | 13 |
| Chapter 2 The Haplogranite System Qz-Ab-Or ... | 18 |
| 2.1 Beginning of Melting in the System Qz-Ab-Or at $a_{H_2O} = 1$ and Composition of Initial Melts .. | 19 |
| 2.1.1 Beginning of Melting | 19 |
| 2.1.2 Composition of Initial H_2O -Saturated Melts | 21 |
| 2.1.3 Petrogenetic Implications | 22 |
| 2.2 Dry Melting in the System Qz-Ab-Or | 25 |
| 2.2.1 Beginning of Dry Melting | 25 |
| 2.2.2 Composition of Dry Melts | 27 |
| 2.3 Melting in Subsystems (Dry and at $a_{H_2O} = 1$) .. | 27 |
| 2.3.1 Beginning of Melting in Binary and Ternary Subsystems at $a_{H_2O} = 1$ | 27 |
| 2.3.2 Dry and H_2O -Saturated Melting in the Subsystems Qz-Ab and Qz-Or | 29 |
| 2.3.3 Eutectic Compositions of the Subsystems Qz-Ab and Qz-Or | 30 |
| 2.3.4 The System Ab-Or- H_2O | 31 |
| 2.4 Beginning of Melting at $a_{H_2O} < 1$ | 32 |
| 2.4.1 Beginning of Melting in the Subsystem Ab- H_2O - CO_2 | 32 |
| 2.4.2 Beginning of Melting in the Subsystem Qz- H_2O - CO_2 | 33 |
| 2.4.3 Beginning of Melting in the Subsystem Qz-Or- H_2O - CO_2 | 34 |
| 2.4.4 Beginning of Melting in the System Qz-Ab-Or- H_2O - CO_2 | 35 |

| | | |
|------------------|--|-----------|
| 2.5 | Liquidus Phase Relationships | 38 |
| 2.5.1 | Phase Relationships at $a_{\text{H}_2\text{O}} = 1$ | 38 |
| 2.5.2 | Phase Relationships at $a_{\text{H}_2\text{O}} < 1$ | 41 |
| 2.5.3 | Composition of H_2O -Undersaturated Melts | 45 |
| 2.5.4 | Minimum Water Contents of Haplogranitic Melts | 49 |
| 2.5.5 | Liquidus Curves of the Haplogranite System | 51 |
| 2.5.6 | Liquidus Curves of a Muscovite-Granite .. | 54 |
| 2.5.7 | Water and Melt Content Relationship | 55 |
| Chapter 3 | Properties of Hydrous Haplogranitic Melts | 58 |
| 3.1 | Water Solubility | 58 |
| 3.1.1 | Determination of H_2O Solubility and Precision of the Data | 58 |
| 3.1.2 | Pressure Dependence of H_2O Solubility .. | 60 |
| 3.1.3 | Compositional Dependence of H_2O Solubility for Qz, Ab, Or, and Binary Compositions. | 62 |
| 3.1.4 | Compositional Dependence of H_2O Solubility for Qz-Ab-Or Compositions ... | 62 |
| 3.1.5 | Temperature Dependence of H_2O Solubility | 67 |
| 3.1.6 | Applications | 69 |
| 3.2 | Water Speciation in Aluminosilicate Melts, Models for Incorporation Mechanisms of Water and Implications | 71 |
| 3.2.1 | Burnham's Model for Incorporation of Water | 72 |
| 3.2.2 | Molecular Water and Hydroxyl Groups .. | 74 |
| 3.2.3 | The Role of the Charge-Balancing Cation in Albite and Haplogranite Melts | 80 |
| 3.2.4 | Implications for the Properties of Granitic Melts | 82 |
| 3.3 | Viscosity and Rheological Properties of Granitic Melts and Magmas | 83 |
| 3.3.1 | Dry Melts | 84 |
| 3.3.2 | Experimental Viscosity Data in Hydrous Melts | 86 |
| 3.3.3 | Comparison of Experimental and Calculated Viscosity Data | 92 |
| 3.3.4 | The Effect of Crystals and Bubbles on the Viscosity of Magmas | 96 |
| 3.3.5 | Implications for Natural Magmatic Systems | 99 |

| | |
|---|----------------|
| Contents | IX |
| 3.4 Density of Hydrous Granitic Liquids | 102 |
| 3.4.1 Experimental Data | 102 |
| 3.4.2 Implications | 104 |
| 3.5 Diffusion of Major Elements and Water in Aluminosilicate Melts | 105 |
| 3.5.1 Diffusion of Cations in Dry Melts and Glasses | 106 |
| 3.5.2 Effect of Water on the Diffusion of Major Elements in Melts | 107 |
| 3.5.3 Diffusivity of Water in Granitic Melts ... | 109 |
| 3.5.4 Implications | 112 |
| 3.6 Properties of Ascending Hydrous Magmas | 114 |
| 3.6.1 Ascent of Chemically Closed Magmatic Systems | 115 |
| 3.6.2 Adiabatic Ascent | 120 |
| 3.6.3 Crystal Fractionation During Ascent | 123 |
| 3.6.4 Role of Physical Properties of Granitoid Magmas on Transport Mechanisms (Dike vs. Diapir) | 125 |
| Chapter 4 Effects of Additional Aluminum and Minor Components in the System Qz-Ab-Or | 127 |
| 4.1 Phase Relations in the System Qz-Ab-Or-Al ₂ O ₃ | 127 |
| 4.1.1 Effect of Alumina at H ₂ O-Saturated Conditions | 127 |
| 4.1.2 Effect of Alumina at H ₂ O-Undersaturated Conditions | 130 |
| 4.1.3 Petrogenetic Implications | 132 |
| 4.2 Effect of Alumina on Solubility of H ₂ O in the System Qz-Ab-Or-Al ₂ O ₃ | 135 |
| 4.2.1 Experimental Data | 135 |
| 4.2.2 Petrogenetic Implications | 137 |
| 4.3 Effect of Phosphorus and Solubility of Accessory Minerals in Granitic Melts | 137 |
| 4.3.1 Phase Relations in the Granitic System .. | 137 |
| 4.3.2 P ₂ O ₅ Contents and Solubility of Apatite in Peraluminous and Ca-Bearing Melts .. | 138 |
| 4.3.3 Solubility of Monazite in Granitic Melts . | 142 |
| 4.3.4 Solubility of Other Accessory Minerals .. | 144 |
| 4.3.5 Applications | 145 |
| 4.4 Effect of Fluorine | 147 |
| 4.4.1 Effect on Phase Relations | 147 |
| 4.4.2 Effect on H ₂ O Solubility | 149 |
| 4.4.3 Viscosity and Density | 151 |

| | |
|--|------------|
| 4.4.4 Solubility of F in Granitic Melts | 153 |
| 4.4.5 Implications | 154 |
| 4.5 Effect of Boron | 155 |
| 4.5.1 Effect on Phase Relations | 155 |
| 4.5.2 Effect on H ₂ O Solubility | 159 |
| 4.5.3 Viscosity and Density of Dry Melts | 160 |
| 4.5.4 Solubility of Boron and Tourmaline Stability in Granitic Melts | 160 |
| 4.5.5 Implications | 162 |
| 4.6 Effect of Lithium | 164 |
| 4.7 Contribution of Experimental Petrology to Case Studies of Peraluminous Leucogranites | 166 |
| 4.7.1 The Harney Peak Leucogranite | 166 |
| 4.7.2 The Manaslu and Gangotri Leucogranites | 176 |
| 4.7.3 Conclusions and Limitations of the Experimental Studies | 186 |
| Chapter 5 Fe and Mg in Granitic Melts | 188 |
| 5.1 The Role and Control of f _{O₂} | 188 |
| 5.1.1 Control by Solid Buffers and Problems | 189 |
| 5.1.2 The Shaw Membrane Technique | 190 |
| 5.2 Phase Equilibria Involving Ferromagnesian Minerals and Melt | 190 |
| 5.3 Magnesium Content of Granitic Melts | 193 |
| 5.3.1 Fe-Free Granitic Melts | 193 |
| 5.3.2 Fe-Mg-Bearing Granitic Melts | 194 |
| 5.4 Iron Content of Granitic Melts | 195 |
| 5.5 Effect of Alumina on the Composition of Granitic Melts | 198 |
| 5.6 Implications | 200 |
| Chapter 6 The Tonalite System Qz-Ab-An | 202 |
| 6.1 Onset of H ₂ O-Saturated Melting in the Pure System Qz-Ab-An | 202 |
| 6.2 Melting of Plagioclase, Kinetic Studies | 204 |
| 6.2.1 Kinetic Studies in the Systems Ab-An and Ab-An-H ₂ O | 204 |
| 6.2.2 Kinetic Studies in the System Qz-Ab-An-H ₂ O | 205 |
| 6.2.3 Kinetic Studies in the System Qz-Ab-An-Al ₂ O ₃ -H ₂ O | 206 |
| 6.3 Phase Equilibria in the System Qz-Ab-An-H ₂ O | 207 |
| 6.3.1 The System Qz-Ab-An-H ₂ O at 2 kbar | 208 |
| 6.3.2 The System Qz-Ab-An-H ₂ O at 5 kbar | 210 |

| | |
|---|------------|
| 6.3.3 Interpretation and Application of the Results | 211 |
| 6.4 Phase Equilibria in the Peraluminous Tonalite System Qz-Ab-An-Al ₂ O ₃ -H ₂ O | 214 |
| 6.5 Formation of Tonalites in the Light of the Experimental Results | 215 |
| 6.6 Experimental Investigations on Natural Tonalites | 218 |
| 6.6.1 H ₂ O-Saturated Melting Experiments | 219 |
| 6.6.2 Dehydration Melting Experiments on Tonalites | 219 |
| 6.6.3 Phase Relationships of Tonalites with Variable H ₂ O Contents at High Pressure | 221 |
| 6.7 Constraints on the Origin of Archean Tonalites | 225 |
| 6.8 Relevance of the Experimental Results | 227 |
| Chapter 7 The Granite System Qz-Ab-Or-An | 229 |
| 7.1 Beginning of Melting (Water Saturated) in the System Qz-Ab-Or-An | 229 |
| 7.2 Melting of Plagioclase in the System Qz-Ab-Or-An | 232 |
| 7.2.1 Kinetic Studies in the System Qz-Ab-Or-An-Biotite | 232 |
| 7.2.2 Distribution of Ab and An Between Melt and Coexisting Plagioclase | 234 |
| 7.3 Hypersolidus Phase Relationships in the System Qz-Ab-Or-An | 236 |
| 7.4 Kinetics of Subsolidus Reactions with Plagioclase | 240 |
| 7.4.1 Application and Interpretation of the Results | 242 |
| Chapter 8 Experiments with Natural Granites and Related Rocks | 244 |
| 8.1 Early Investigations | 244 |
| 8.2 Comparison of Results Obtained in Model Systems and Natural Rocks | 244 |
| 8.3 Melting and Crystallization Experiments Performed at Water Saturation | 245 |
| 8.3.1 Experimental Melting of Greywackes | 245 |
| 8.3.2 Experimental Melting of Pelitic Compositions | 246 |
| 8.3.3 Crystallization of an Obsidian | 246 |

| | | |
|--|--|-----|
| 8.3.4 | The Effect of Volatile Components Other than H_2O on the Solidus Temperature . . . | 246 |
| 8.3.5 | Low Pressure Melting, and Comparison of Granitic and Basaltic Solidus Curves | 247 |
| 8.3.6 | Melting of Granitic Rocks at High Pressures | 248 |
| 8.4 | Melting Experiments Performed at Water Undersaturation | 250 |
| 8.4.1 | Water-Undersaturated Melting in Runs with Water Added to the Solids | 250 |
| 8.4.2 | Water-Undersaturated Melting Controlled by H_2O - CO_2 Mixtures | 256 |
| 8.4.3 | Experimental Melting of and Crystallization of Tuffs and Rhyolitic Rocks Performed under Selected Conditions | 260 |
| 8.5 | Summary of Experimental Findings and Conclusion | 261 |
| Chapter 9 Formation of Granitic Magmas by Dehydration Melting | | |
| 9.1 | General Remarks | 264 |
| 9.2 | Dehydration Melting of Muscovite-Bearing Mineral Assemblages | 266 |
| 9.2.1 | Muscovite and Muscovite+Quartz Subsolidus Stability | 266 |
| 9.2.2 | Solidus for Dehydration Melting of Quartz+Muscovite | 267 |
| 9.2.3 | Petrogenetic Importance of the Solidus for Dehydration Melting of Muscovite-Quartz Assemblages | 269 |
| 9.2.4 | Dehydration Melting of Muscovite-Quartz Assemblages in Multicomponent Systems . | 270 |
| 9.3 | Dehydration Melting of Biotite-Bearing Mineral Assemblages | 270 |
| 9.3.1 | Solidus for Dehydration Melting of Biotite (Phlogopite)+Quartz | 270 |
| 9.3.2 | Dehydration Melting and Petrogenetic Implications, Early Ideas, and Results . . . | 275 |
| 9.3.3 | Petrogenetic Grids and Phase Equilibria in High-Grade Pelitic Rocks | 277 |
| 9.3.4 | Dehydration Melting of Biotite-Bearing Metapelitic Assemblages | 277 |
| 9.3.5 | Summary of Experimental Results with Biotite-Bearing Mineral Assemblages | 281 |
| 9.4 | Dehydration Melting in Amphibolites | 282 |

| | |
|---|------------|
| 9.4.1 The Solidus for Dehydration Melting in Amphibolites | 282 |
| 9.4.2 Composition of Partial Melts Generated by Dehydration Melting of Amphibolites . | 289 |
| 9.4.3 Summary of Experimental Results Obtained with Hornblende-Bearing Mineral Assemblages | 297 |
| 9.5 Evolution of the Continental Crust by Dehydration Melting of Amphibolites and Tonalites | 298 |
| Appendix: List of Abbreviations Used in the Text . | 302 |
| References | 304 |
| Permission Statement | 329 |
| Subject Index | 331 |