

<b>1. ABBREVIATIONS</b>	<b>4</b>
<b>2. SUMMARY</b>	<b>6</b>
<b>3. INTRODUCTION</b>	<b>7</b>
3.1 Background	7
3.2 RNAi	8
3.2.1 Mechanism of working	9
3.2.2 RNAi as a tool in functional genomic analysis	11
3.3 Sphingolipids	12
3.3.1 Background	12
3.3.2 Functions in mammals	13
3.3.3 Sphingolipids biosynthesis	13
3.3.4 Glycosphingolipid biosynthesis	14
3.3.5 Sphingolipids degradation	16
3.3.6 Role of saposins in lipid antigen presentation	20
3.4 <i>Drosophila schlank</i>	20
<b>4 AIM OF THE STUDY</b>	<b>22</b>
<b>5 RESULTS</b>	<b>23</b>
5.1 GCS-and pSap-RNAi in Mammalian cells	23
5.1.1 BLAST Research	23
5.1.2 Generation of psap-RNAi and GCS-RNAi cell lines	24
5.1.2.1 Generation of the 800bp forward and reverse cDNA fragments	25
5.1.2.2 Generation of the pcDNA3.1 expressing the inverted repeat	25
5.1.2.3 Generation of the RNAi cell lines	26
5.1.3 Molecular analysis of the RNAi cell lines	27
5.1.3.1 RT-PCR and Northern blot analysis	27
5.1.3.2 Western blot analysis	29
5.1.3.3 Immunocytochemical analysis	30
5.1.3.4 GCS-RNAi MEB4 cells lost the ability to process melanin	31
5.1.4. <i>Sphingolipids analysis of GCS deficient cells</i>	32
5.1.4.1 Metabolic labeling with [ <sup>14</sup> C]-serine	32
5.1.4.2 Metabolic labeling with [ <sup>14</sup> C]-galactose	35
5.1.5 Lipid analysis of prosaposine deficient cells	36
5.1.5.1 Metabolic labeling with [ <sup>14</sup> C] serine	36
5.1.5.2 Metabolic labelling with 3H-sulfatide	39
5.1.5.3 Analysis of unlabeled lipids	40
5.1.5.4 Incubation with recombinant pSap abolishes sphingolipid storage in RNAi cells	43
5.2 S2 <i>Schlank</i> -RNAi cells	46
5.2.1 Analysis of <i>Schlank</i> in larvae	46
5.2.1.1 Identification and molecular characterization of <i>Schlank</i>	46
5.2.1.2 <i>Schlank</i> regulates larval growth	46
5.2.1.3 Lipid analysis in larvae	47
5.2.2 Analysis of <i>schlank</i> in S2 cells	47
5.2.2.1 S2 cells incubated with <i>schlank</i> -dsRNA are deficient in <i>schlank</i> -mRNA	48
5.2.2.2 Ceramide levels are reduced in <i>Schlank</i> -dsRNA treated S2 cells.	48
5.2.2.3 <i>Schlank</i> over expression in S2 ceramide results in highly elevated ceramide level.	51
5.2.2.4 Ceramide synthase assay in cells and larvae	52

5.2.2.5 Schlank is a dihydroceramide synthase	53
5.2.2.6 <i>Schlank</i> regulates TAG lipases in <i>Drosophila</i>	54
<b>6 DISCUSSION</b>	<b>56</b>
<b>7 MATERIALS AND METHODS</b>	<b>61</b>
<b>7.1. Molecularbiological Methods</b>	<b>61</b>
<b>7.1.1. Methods for bacterial culture and storage</b>	<b>61</b>
7.1.1.1. Storage	61
7.1.1.2. Bacterial culture	61
7.1.1.3. Generating competent bacterial cells	61
7.1.1.4. Bacterial culture for plasmid-DNA preparation	61
<b>7.1.2. Working with RNA</b>	<b>62</b>
7.1.2.1. Precautions to be taken	62
7.1.2.2. RNA preparation from cultured cells	62
7.1.2.3 Northernblot analysis	62
7.1.2.4 In vitro dsRNA generation.	62
<b>7.1.3. Working with DNA</b>	<b>63</b>
7.1.3.1. Phenol extraction and Ethanol precipitation	63
7.1.3.2. Preparation of plasmid DNA from bacterial cells	63
7.1.3.3. RT-PCR using total RNA	64
7.1.3.4. PCR (Polymerase chain reaction)	64
7.1.3.5. DNA dephosphorylation (CIP-Reaction)	65
7.1.3.6. Measuring the concentration and the degree of purity of nucleic acids	65
<b>7.1.4. Agarose gel electrophoresis</b>	<b>65</b>
7.1.4.1. Separation of DNA fragments	65
7.1.4.2. Extraction of DNA from agarose gel slice	65
<b>7.1.5 Cloning of DNA fragments</b>	<b>66</b>
7.1.5.1 Enzymatic digestion of DNA	66
7.1.5.2. DNA ligation	66
7.1.5.3 DNA Transformation	66
<b>7.2 Cell culture</b>	<b>67</b>
7.2.1 Culture conditions	67
7.2.2 Harvesting of cultured cells	67
7.2.3 Cell freezing	67
7.2.4 Transfecting mammalian cells with DNA	67
7.2.5 dsRNA Transfection in S2 cells	68
<b>7.3 Protein chemical methods</b>	<b>68</b>
7.3.1 Protein concentration measurement (Bradford)	68
7.3.2 SDS-PAGE	68
<b>7.4. Immunocytochemistry</b>	<b>68</b>
<b>7.4 Microscopy and Image Analysis</b>	<b>69</b>
<b>7.5 Sphingolipid analysis in mammalian cells</b>	<b>69</b>
7.5.1 Pulse chase labeling with <sup>14</sup> C-Serine	69
7.5.2 Lipid extraction	69
7.5.3 Alkaline methanolysis	70
7.5.4 Reversed phase chromatography	70
7.5.5 Feeding cells with recombinant prosaposin	71
7.5.6 Densitometric quantification of glycosphingolipids	71
7.5.7 Metabolic labeling with [14C]-Galactose	71
7.5.8 Metabolic labeling with [3H]-sulfatide	71
7.5.9 Metabolic labeling with NBD-C6 -GM3	71
<b>7.6 Lipid analysis in Schneider's <i>Drosophila</i> S2 cells and larvae</b>	<b>72</b>

---

7.6.1 Metabolic labelling of S2 cells	72
7.6.2 LC/APCI-MS analysis	72
7.6.3 Dihydroceramide synthase assay.	72
7.7 Materials	73
7.7.1 Equipments	73
7.7.2 Steril Plastic Materials	74
7.7.3 Antibodies	74
7.7.4 Enzymes	74
7.7.5 Radioaktivität	74
7.7.6 Bakterial strains	74
7.7.7 Cell lines	75
7.7.8 Media	75
7.7.9 Plasmids	75
7.7.10 Manufacturers	75
7.8 Buffers and Solutions	76
8. ANNEX	79
8.1 Sequences	79
8.1.1 Human GCS	79
8.1.2 Mouse Ugcg	80
8.1.3 Human Psap	82
8.1.4 Mouse pSap	83
8.2 Plasmids	85
8.2.1 pBluescript SKII(-)	85
8.2.2 pcDNA3.1HisA	86
8.3 List of publications	87
9. REFERENCES	88