

Development of Gas Diffusion Electrodes for a New Energy Saving Chlor-Alkali Electrolysis Process

Doctoral Thesis

(Dissertation)

to be awarded the degree of

Doctor of Engineering (Dr.-Ing.)

Submitted by

Dipl.-Ing. Imad Moussallem

from Lebanon

approved by the Faculty of

Mathematics/Computer Science and Mechanical Engineering,

Clausthal University of Technology

Date of submission

18.01.2011

Date of oral examination

14.04.2011

1	Introduction	1
2	Background	5
2.1	<i>Industrial chlor-alkali processes</i>	5
2.2	<i>Membrane chlor-alkali electrolysis with oxygen depolarized cathodes</i>	7
2.3	<i>History and present status of chlor-alkali electrolysis with ODC</i>	10
2.4	<i>Reaction paths</i>	13
2.4.1	Basic reactions occurring in a membrane chlor-alkali cell	13
2.4.2	Oxygen reduction in alkaline media	14
2.5	<i>Activity and durability of the catalysts and electrodes</i>	15
2.6	<i>Types of ODCs and their assemblies</i>	17
2.6.1	Gas-liquid impermeable ODCs	17
2.6.2	Gas-liquid permeable ODCs	21
2.7	<i>Technical electrolysis cells applicable for ODCs</i>	23
2.7.1	Finite-gap electrolysis cells	23
2.7.2	Zero-gap ODC cell design	25
3	Economic study for the ODC application compared with combustion and fuel cell technology for chlor-alkali electrolysis	27
3.1	<i>Energetic comparison</i>	28
3.2	<i>Economical evaluation</i>	31
4	Experimental developments for the preparation of ODCs	36
4.1	<i>Development of the basic recipe</i>	37
4.1.1	Suspension preparation	37
4.2	<i>Application of the prepared suspension</i>	39
4.2.1	Spraying	39
4.2.2	Drying	40
4.2.3	Pressing	40
4.2.4	Sintering	41
5	Experimental techniques for the characterisation of ODCs	42
5.1	<i>Physical characterization</i>	42
5.1.1	Specific mass	42
5.1.2	Electrode thickness	42

5.1.3	Electrode void fraction	42
5.2	<i>Hydrodynamic characterization</i>	43
5.2.1	Bubble-point	44
5.2.2	Permeability	45
5.3	<i>Half cell measurements</i>	45
5.4	<i>Electrolysis measurement</i>	48
5.4.1	Electric connections and electro-technical system control	52
5.4.2	Start-up and shut down procedure	52
5.4.3	Cell construction	53
5.4.4	Process safety and control	54
5.4.5	Analysis of the cell voltage dependence on the current density	56
5.4.6	Current efficiency	56
6	Results and discussion	58
6.1	<i>Half cell measurements</i>	58
6.1.1	Effect of methylcellulose content in the suspension	58
6.1.2	Reproducibility of the prepared electrodes	59
6.1.3	Comparison of different silver catalysts	60
6.1.4	Effect of the pressing load and temperature	63
6.1.5	Effect of silver to PTFE ratio	65
6.1.6	Sintering process	68
6.1.7	Electrodes with different catalyst load	70
6.1.8	Half cell measurements with two-layered electrodes	71
6.2	<i>Electrolysis cell results</i>	73
6.2.1	Reproducibility of the electrodes	73
6.2.2	One-layered electrodes	74
6.2.3	Two-layered electrodes	81
6.2.4	Multi-layered electrodes	85
6.3	<i>Comparison between the half-cell potential measurements and the electrolysis test cell voltage</i>	90
6.4	<i>Corrugated ODCs: A new electrode structure design</i>	93
6.4.1	Advantage of the corrugated ODC application in comparison to conventional ODC design	93
6.4.2	Corrugated electrode preparation	95
6.4.3	Electrolysis test for the corrugated electrode and comparison to a planar one	96
6.5	<i>Effect of different oxygen gas concentrations on the activity of the electrode</i>	99
7	Results evaluation and conclusion	102
7.1	<i>Results evaluation in comparison to previous literature</i>	102
7.2	<i>Conclusion and future prospects</i>	103

8	References	107
9	Appendix	115
9.1	<i>Instrumentation</i>	115
9.2	<i>Control front page</i>	116
9.3	<i>Electrolysis cell with the industrial electrolysis conditions</i>	117
9.4	<i>Ion analysis for chlor-alkali electrolysis</i>	118
9.5	<i>SEM micrographs for the ODC surface and cross-section</i>	120
9.6	<i>Cell voltages reported in the open literature</i>	121
9.7	<i>Electrodes prepared for half cell measurement</i>	122
9.8	<i>Electrodes prepared for electrolysis measurement</i>	126
	Nomenclature	136
	<i>Latin Letters</i>	136
	<i>Greek letters</i>	138
	<i>Abbreviations</i>	138