

Contents

1	Introduction	1
1.1	Context	1
1.2	Motivation	4
1.3	Objectives	6
1.4	Structure of the thesis	7
2	Models of Hydraulically Actuated Stewart Platforms	11
2.1	The purpose of modelling	11
2.1.1	Design of forming processes	12
2.1.2	Model-based control of machines	13
2.1.3	Trajectory control of hydraulic actuators	14
2.1.4	Model structures of hydraulic servo systems	15
2.2	Model structure for hydraulically actuated Stewart platforms	17
2.3	Kinematic model	18
2.4	Model of multibody dynamic system	21
2.4.1	Model structure	21
2.4.2	Methods of virtual work and virtual power for robots with angular degrees of freedom	23
2.4.3	Coordinate transformation of multibody dynamic system	29
2.4.4	Reduced model of the Stewart platform	30
2.5	Hydraulic actuator model	31
2.5.1	Servo hydraulic actuator model	31
2.5.2	Valve amplification stages	37
2.5.3	Pipeline dynamics	44
2.5.4	Friction	45
2.6	Summary	46
3	Model Structure and Framework	47
3.1	A framework for experiment representation and numerical treatment of experiment data	47
3.1.1	Model structure	48
3.1.2	A simplified model example	49
3.1.3	Simulation and experiment sampling	51

3.1.4	Continuity and differentiability of the model	53
3.1.5	Normalisation with respect to the parameter vector	59
3.1.6	Normalisation of the output vector	61
3.2	Prediction error formulations	62
3.2.1	Noise model #1: additive output noise	63
3.2.2	Noise model #2: noise in the state equations	65
3.2.3	Noise model #3: noise in the parameters	68
3.3	Summary	70
4	Parameter Estimation from Experimental Data	73
4.1	Reports on parameter identification for hydraulic servo systems	73
4.1.1	Relevance for this thesis	74
4.2	Criteria and concepts for parameter estimation	75
4.2.1	Least squares estimator	76
4.2.2	Fundamentals of the maximum likelihood method	76
4.2.3	Gradient of the maximum likelihood objective function	82
4.2.4	Hessian of the maximum likelihood objective function	84
4.2.5	Summary of maximum likelihood theory and its further usage in this work	91
4.3	Uncertainty in the estimate	91
4.3.1	Theory of Fisher's information matrix	92
4.3.2	Sample Fisher information matrix using the gradient Eq. (4.45b)	93
4.3.3	Sample Fisher information matrix using the Hessian Eq. (4.45c)	95
4.3.4	Aspects of implementation	95
4.4	Case study: multibody system dynamics	98
4.5	Case study: hydraulic actuator model	100
4.5.1	Stage 1: virtually separated hydraulic actuator	102
4.5.2	Stage 2: Stewart platform with actuators	113
4.6	Summary and contribution	117
5	Experiment Design	121
5.1	Preliminary general considerations	122
5.2	Measures of quality	124
5.2.1	Important mathematical properties and preliminary choices inherent with D-optimal experiment design	126
5.3	Experiment design algorithms	142
5.3.1	Relevant approaches for linear models	143
5.3.2	Algorithms for nonlinear models	143

5.4	Case studies	144
5.4.1	Case study: initial condition for nonlinear pendulum	145
5.4.2	Case study: input sequence for nonlinear pendulum	150
5.4.3	Case study: input sequence and initial condition for nonlinear pendulum	152
5.4.4	Case study: initial condition for hydraulic actuator .	154
5.4.5	Case study: input sequence for hydraulic actuator .	160
5.4.6	Case study: input sequence and initial condition for hydraulic actuator	162
5.4.7	Case study: Stewart platform	163
5.5	Conclusion	166
6	Planning for Safe Execution of Experiments	169
6.1	An example with an intuitive solution	169
6.2	LaValles framework for robotic planning tasks	172
6.2.1	Algorithms	173
6.2.2	Metrics	177
6.3	A rapidly exploring dense tree algorithm for nonlinear dy- namic models	178
6.3.1	Enhancements to the metrics	179
6.3.2	Enhancements to the growth algorithm	179
6.3.3	Multi-tree structures	181
6.4	Case studies	182
6.4.1	Nonlinear pendulum: single tree planner	182
6.4.2	Nonlinear pendulum: planner with two opposing trees	183
6.4.3	Hydraulic actuator	183
6.5	Conclusion	186
7	Case Study: Hydraulic Stewart Platform	189
7.1	Techniques for verification and validation	190
7.1.1	The relevance of verification and validation for the modelling process	190
7.1.2	Relevant validation techniques	191
7.2	Remarks: a-priori verification and a-priori validation in the case studies	199
7.2.1	Verification of the code base implemented	199
7.2.2	A-priori validation of the code base	200
7.3	Stewart platform case study: validation of parameter estim- ates	201
7.3.1	Experiment and parameter estimation	202
7.3.2	Validation with estimation data	203

7.3.3	Validation by fresh data: the inverse model prediction test	209
7.3.4	Validation by minimum controller action	214
7.4	Conclusion	217
8	Final Remarks	221
8.1	Summary and conclusions	221
8.2	Overall results and their relevance	224
8.3	Perspectives	225
A	Kinematic and Multibody System Dynamic Analysis of the Stewart Platform	227
A.1	Nomenclature	228
A.2	Kinematic model	230
A.2.1	Geometry and parameters of the hexapod	230
A.2.2	Constant values	233
A.2.3	Forward and inverse kinematic model	234
A.2.4	Differential kinematic model	236
A.3	Model of the multibody dynamic system	237
A.3.1	Parameters	237
A.3.2	Modelling via the principle of virtual power	238
A.3.3	Rotations	240
A.3.4	External forces	242
A.3.5	Inertial forces	242
A.3.6	Gravitation terms	247
A.3.7	Jacobians	247
A.4	Validation of the kinematic and dynamic model	249
A.4.1	Kinematic transformations and Jacobians	249
A.4.2	Model-to-model cross-validation of dynamic model against SimMechanics implementation	251
A.5	Reduction of the model complexity	255
A.6	Parameter estimation from experimental data	257
B	Definitions and Mathematic Details of Models	263
B.1	Nonlinear pendulum	263
B.2	Hydraulic actuator	264
B.2.1	Partial derivatives	266
B.2.2	Leakage model Eq. (2.43)	270
B.2.3	Dynamic model of the valve piston	271
B.3	Hydraulic actuator with valve piston model	271
B.4	Multibody dynamics of the Stewart platform	272

B.5	Stewart platform with hydraulic actuators	273
B.5.1	Partial derivatives	274
B.6	Stewart Platform with hydraulic actuators and valve pistons	276
B.6.1	Partial derivatives	276
C	Selected Aspects of Software Engineering	279
C.1	Remarks about software engineering	279
C.1.1	Important objectives	279
C.2	Technologies	280
C.3	Access patterns and testing patterns	281
C.4	Remarks on the design and implementation	283
D	τ , a robot control architecture for research purposes	287
D.1	Control algorithms	288
D.2	Adaptation of valve offset	289
D.3	Execution of an experiment sequence	290
D.4	Trajectory generation	291