

Lehrstuhl für Kommunikationsnetze
der Technischen Universität München

**Wireless Networking:
Adaptive and Distributed Resource Management**

**Habilitationsschrift von
Dr.-Ing. Christian Hartmann**

January 2014

Contents

1	Introduction	1
1.1	Wireless Network Architectures	1
1.1.1	Single-Hop Wireless Networks	1
1.1.2	Cellular Multi-Hop Networks	2
1.1.3	Pure Ad Hoc Networks	3
1.1.4	Ad Hoc Access Networks	3
1.1.5	Wireless Mesh Networks	4
1.1.6	Underlay Device-to-Device (D2D) Networks	4
1.2	Wireless Networking and Resource Management	5
1.3	Communication Protocols	7
1.3.1	Layered Protocol Architecture	7
1.3.1.1	User Plane	7
1.3.1.2	Control Plane	7
1.3.1.3	Management Plane	7
1.3.2	Signalling in Communication Networks	8
1.3.2.1	Protocol Layer Nesting	8
1.3.2.2	Tunnelling of Protocols	8
1.4	Cross-Layer Approaches	10
1.4.1	Cross-Layer Design	10
1.4.2	Cross-Layer Optimization	11
1.4.3	Adaptivity and Self-Organization in Wireless Networks	11
1.4.4	Organization of Resource Control in Cellular Wireless Networks	12
1.5	Resource Management Criteria	12
1.5.1	User Individual Criteria, QoS and QoE	13
1.5.1.1	User Individual Resource Management Criteria: Quality of Service (QoS)	13
1.5.1.2	User Individual Resource Management Criteria: Quality of Experience (QoE)	14
1.5.2	Network-wide Criteria, Grade of Service (GoS)	15
1.6	Structure of this Work	16
1.7	Chapter Summary	16
2	Resources in Wireless Networks and their Interdependencies	17
2.1	Types of Resources in Wireless Networks	17
2.2	Research Areas and Motivation	19
2.3	Important Technologies and Their Challenges	20

Contents

2.4	Different Time Scopes of Resource Management Tasks	22
2.5	Trade-offs in Resource Management	23
2.6	Resource Management in Cellular Networks	24
2.6.1	Planning Phase	24
2.6.1.1	Backbone Planning	24
2.6.1.2	Radio Planning	25
2.6.1.3	Channelization and Multiplexing	25
2.6.1.4	Coverage Planning, Base Station Positioning	27
2.6.1.5	Capacity Planning, Base Station Configuration	27
2.6.2	Configuration Phase	28
2.6.3	Operational Phase	29
2.6.3.1	Link Adaptation	29
2.6.3.2	Power Control	32
2.7	Resource Management in Ad Hoc Networks	33
2.7.1	Planning Phase	34
2.7.2	Operational Phase and Configuration Phase	34
2.7.2.1	Configuration Phase	34
2.7.2.2	Operational Phase	34
2.8	Applied Methods	37
2.8.1	System Modelling	37
2.8.2	Mathematical Analysis	38
2.8.3	Simulation	38
2.8.4	Optimization	38
2.8.4.1	Linear Programs	38
2.8.4.2	Metaheuristics	39
2.8.5	Game Theory	41
2.9	Chapter Summary	42
3	System Modelling	43
3.1	Cellular Networks	43
3.1.1	The Wireless Channel	43
3.1.2	Adaptive Antennas	47
3.1.2.1	Maximum Gain Beamforming	48
3.1.2.2	Other Beamforming Criteria	49
3.1.2.3	Other Antenna Models	49
3.1.3	Mobility Models	50
3.1.3.1	Random Direction Mobility Model	50
3.1.3.2	Random Waypoint Mobility Model	50
3.1.3.3	Random Walk Mobility Model	51
3.1.3.4	Reference Point Group Mobility Model	51
3.1.3.5	Gauss-Markov Mobility Model	51
3.1.4	Teletraffic Models	52
3.1.4.1	Circuit Switched Traffic	52

3.1.4.2	Packet Switched Traffic	52
3.1.5	Spatial Distributions	53
3.2	Multi-Hop and Ad Hoc Networks	55
3.2.1	Antenna and Beamforming Model	55
3.2.2	Link Model	55
3.2.3	Node Distributions	56
3.2.4	Spatial Distribution of Nodes and Scenarios	56
3.2.5	Traffic	57
3.2.6	Mobility	57
3.2.7	Channel Models	57
3.2.8	System Properties	57
3.3	Chapter Summary	58
4	Planning of Cellular Networks: Base Stations and Radio Resources	59
4.1	Base Station Planning for UMTS	59
4.1.1	Traffic and Mobility Model	59
4.1.2	Traffic Parameters	60
4.2	Base Station (BS) Parameter Configuration in UMTS	60
4.2.1	Configuration and Adaptation Parameters	62
4.2.2	Triggers for Self-Adaption of Base Stations in UMTS Networks	62
4.2.3	Optimization Approach	63
4.2.4	Frequent Remote Parameter Adaptation	64
4.2.5	Shared Channels (HSDPA)	68
4.2.5.1	Parameter Adaptation Results for HSDPA	69
4.3	Decentralized Parameter Adaptation	71
4.3.1	The Concept of Sector Coupling	71
4.3.2	Adaptation Triggers	73
4.3.3	Decentralized Adaptation Strategies	73
4.3.4	Results for Decentralized Adaptation	73
4.4	Flexible Reuse in LTE	75
4.4.1	Motivation for Flexible Reuse in LTE	75
4.4.2	Interference Coordination Schemes	76
4.4.2.1	Scheme A – Soft Frequency Reuse	76
4.4.2.2	Scheme B – Partial Frequency Reuse	76
4.4.3	Estimation of Cell Capacity	78
4.4.3.1	Modelling of the Downlink SINR	78
4.4.3.2	Cell Capacity Estimation by Shannon’s Equation	79
4.4.3.3	Additional Assumptions for Capacity Estimation	80
4.4.3.4	Load Balancing Requirement	80
4.4.4	System Model for Evaluation of Flexible Reuse in LTE	81
4.4.5	Cell Centre/Edge User Partition	83
4.5	Performance of Decentralized Flexible Reuse in LTE	85
4.5.1	Results of Capacity Estimation	85

Contents

4.5.2	Simulation Results	86
4.6	Conclusion of Flexible Reuse in LTE	89
4.7	Dynamic Resource Allocation	90
4.8	Dynamic Channel Selection and Interference Coordination in LTE	92
4.8.1	Selfish Interference Coordination	93
4.8.2	Non-Cooperative Model	93
4.8.3	Adaptation Algorithm	94
4.8.4	Autonomous Versus Co-operative Scheme	94
4.8.5	Autonomous Scheme	94
4.8.6	Inter-cell Co-operative Scheme	95
4.8.7	Performance Evaluation Framework	95
4.8.8	Physical Resources and Link Performance Model	96
4.8.9	Traffic Model, User Scheduling, and Power Control	98
4.8.10	Results	98
4.8.10.1	Convergence of Decentralized Coordination	98
4.8.10.2	Interference Coordination Results and Discussion	99
4.8.10.3	Summary	102
4.9	Autonomous Beam Coordination for the Downlink of an IMT-Advanced Cellular System	103
4.9.1	Required Intra-Cell Signalling	104
4.9.2	Autonomous Beam Coordination Scheme	105
4.9.3	Simulation Setup	106
4.9.4	Simulation Results	108
4.9.4.1	Parameter Selection and Convergence Behaviour	108
4.9.4.2	Performance of Autonomous Beam Coordination	109
4.10	Chapter Summary	112
5	Adaptive Scheduling in Cellular Networks	113
5.1	Wireless Packet Scheduling	114
5.1.1	QoS-Aware Wireless Packet Scheduling	114
5.1.2	Single Channel Scheduling	114
5.1.2.1	Round Robin (RR)	115
5.1.2.2	Maximum Rate (MR)	116
5.1.2.3	Opportunistic Beamforming (OB)	116
5.1.2.4	Proportional Fair Scheduling	117
5.1.2.5	Rate-limited Proportional Fair Scheduling	117
5.1.2.6	Generalized Proportional Fair Scheduling	118
5.1.3	Multi-Channel Scheduling	118
5.1.3.1	Multi-channel Round Robin (MCRR)	118
5.1.3.2	Multi-channel Maximum Rate (MCMR)	120
5.1.3.3	Fair Packet Scheduling	120
5.2	Cross-Layer Scheduling	120
5.2.1	Link Adaptation	121

5.2.2	Urgency-based Scheduling	121
5.2.3	General Concept and Framework Overview	122
5.2.4	Residual Time-based Urgency	123
5.2.4.1	Mean Data Rate	124
5.2.4.2	Receive Buffer Continuity	124
5.2.4.3	Mean Packet Delay	125
5.2.4.4	Mean Packet Loss Rate	126
5.2.5	Selecting Scheduling Candidates	128
5.2.6	Scheduling Decision	130
5.2.7	Packet Scheduling	130
5.2.7.1	Minimum Residual Time Scheduling	130
5.2.7.2	Maximum Equivalent Rate Scheduling	130
5.2.7.3	Maximum Rate Scheduling	130
5.2.7.4	Proportional Fair Scheduling	131
5.2.8	Simulation Model	131
5.3	Admission Control (AC)	133
5.3.1	Cross-Layer Admission Control	134
5.3.2	Results, Discussion of Cross-Layer Scheduling Compared to Classical Schedulers	135
5.3.3	Additional Scheduling Results	136
5.3.4	Admission Control Results	140
5.4	Chapter Summary	148
6	Planning and Configuration of Multi-hop Networks: Connectivity Analysis and Shaping	151
6.1	Hop Distances and Flooding in Wireless Multi-hop Networks with Randomized Beamforming	152
6.1.1	Introduction	153
6.1.2	Randomized Beamforming	154
6.1.3	Simulation	155
6.2	Analysis of Hop Distance	155
6.2.1	Hop Distance Between Two Nodes	155
6.2.2	Network Diameter	158
6.2.3	Hop Distance Between a Node and its Closest Base Station	158
6.2.4	Analysis of Flooding	159
6.2.5	Flooding by Randomized Beamforming	159
6.2.6	Flooding From a Central Node	160
6.3	Conclusions of Randomized Beamforming	160
6.4	Low-Complexity Beamforming Techniques for Wireless Multi-hop Networks	161
6.4.1	Algorithms	161
6.4.1.1	Maximum Node Degree Beamforming (MNDB)	162
6.4.1.2	Two-hop Node Degree Beamforming (TNDB)	162
6.4.1.3	Implementation Considerations	163

6.4.2	Low Complexity Beamforming Simulations	163
6.5	Flooding Conclusions	167
6.6	Beamforming Induced Interference in Wireless Multi-hop Networks	168
6.6.1	Placement of Devices	170
6.6.2	Analysis of Signal Attenuation	170
6.6.3	Simulation Setup	171
6.6.4	Interference Simulation Results	172
6.6.5	Implications on MAC Layer	172
6.7	Mutual Interference	175
6.7.1	Simulation Setup	176
6.7.2	Simulation Results	176
6.7.3	PHY Layer Implications of Mutual Interference Statistics	177
6.8	Chapter Summary	179
7	Analytical Bounds for Connectivity in Multi-hop Networks with Beamforming	181
7.1	Optimization of Beam Directions	181
7.2	Network Model	182
7.2.1	Node Placement	182
7.2.2	Wireless Channel	182
7.2.3	Wireless Link	183
7.2.4	Connectivity	184
7.2.5	Link Indication	186
7.2.5.1	Always in Range	186
7.2.5.2	Out of Range	186
7.2.5.3	In Range in Case of Proper Steering	186
7.3	Optimization Goals	188
7.3.1	Node Degree	188
7.3.2	Connectivity	188
7.3.3	Connectivity and Auxiliary Constraints	190
7.3.3.1	Used Capacity Minimization	190
7.3.3.2	Number of Links	191
7.4	Large-Scale Optimization Methods	191
7.4.1	Path-Flow Formulations	192
7.4.2	Case Study	192
7.4.3	Node Degree Maximization	192
7.4.4	Path Probability Maximization	193
7.4.5	Statistical Analysis	194
7.4.6	Computational Performance of the Optimization	199
7.5	Analytical Connectivity Estimation for Beamforming Ad Hoc Networks .	201
7.5.1	Node Model	201
7.6	Chapter Summary	205

8	Resource Allocation for Multi-Hop Networks: MAC Concepts	207
8.1	Classical MAC Procedures	207
8.1.1	IEEE 802.11 DCF	207
8.1.2	Requirement for Advanced MAC Protocols	208
8.2	Introduction Novel MAC Approaches	209
8.3	Fairness in Distributed MAC	211
8.3.1	Contention Window and Contention Cycle	211
8.3.2	Contention Level	212
8.3.3	Utility Index, Delay Index, and Penalty Factor	212
8.4	A Multiuser Detection MAC Protocol	214
8.4.1	Basic Assumptions of the MUD-MAC Protocol	214
8.4.2	Challenges Arising with Heterogeneously Equipped Terminals	215
8.4.3	Contention Cycle and Maximum Delay Index	216
8.5	Simulation Results	218
8.6	FACRA Conclusions	220
8.7	A Beamforming MAC Protocol	224
8.7.1	Protocol Description	224
8.7.2	Advantages and Drawbacks	225
8.8	An Interference Suppression MAC Protocol (NULLHOC Protocol)	225
8.8.1	Advantages and Drawbacks	227
8.8.2	Requirements and Assumptions	227
8.8.3	Frame Structure	228
8.8.4	Protocol Description	228
8.8.5	Advantages	230
8.9	Simulation Results	230
8.10	A Spatial Multiplexing MAC Protocol	234
8.10.1	Physical Layer	234
8.10.2	MAC Layer	235
8.10.3	Transmit Power Adaptation	236
8.10.4	Per Stream Backoff	236
8.11	The CIE-MAC Protocol	237
8.12	Simulation Results	238
8.13	Chapter Summary	240
9	Conclusions and Outlook	243