

# Contents

<b>1 Introduction</b> . . . . .	1
1.1 Experimental Studies for Rock-Like Materials . . . . .	1
1.2 Experimental Studies for Real Rock Materials . . . . .	4
1.3 Numerical Studies for Crack Evolution Behavior . . . . .	6
1.4 Study of Fracture Coalescence Behavior by AE Technique . . . . .	7
1.5 Main Contents in This Book . . . . .	8
References . . . . .	11
<b>2 Experimental Investigation on Strength Failure and Crack Evolution Behavior of Brittle Sandstone Containing a Single Fissure</b> . . . . .	15
2.1 Experimental Studies . . . . .	15
2.1.1 Sandstone Material . . . . .	15
2.1.2 Preparation for Specimen with Single Fissure . . . . .	16
2.1.3 Experimental Equipment and Procedure . . . . .	17
2.2 Strength and Deformation Behavior . . . . .	19
2.2.1 Uniaxial Stress–Strain Curves of Sandstone . . . . .	20
2.2.2 Effect of Single Fissure Geometry on Mechanical Parameters of Sandstone . . . . .	21
2.3 Crack Evolution Behavior . . . . .	25
2.3.1 Crack Coalescence Type of Sandstone Specimens Containing a Single Fissure . . . . .	25
2.3.2 AE Behaviors of Intact and Flawed Sandstone Specimens with Single Fissure Geometries . . . . .	30
2.3.3 Real-Time Crack Evolution Process of Sandstone Containing a Single Fissure . . . . .	34
2.4 Conclusions . . . . .	41
References . . . . .	43

<b>3</b>	<b>Experimental Investigation on Crack Evolution Behavior of Brittle Sandstone Containing Two Coplanar Fissures in the Process of Deformation Failure</b> . . . . .	45
3.1	Experimental Material and Procedure . . . . .	46
3.1.1	Physical Behavior of Tested Specimens . . . . .	46
3.1.2	Specimens Containing Two Coplanar Fissures . . . . .	46
3.1.3	Testing Equipment and Procedure . . . . .	48
3.2	Influence of Coplanar Fissure Angle on Strength and Deformation Behavior . . . . .	48
3.2.1	Deformation Failure Behavior of Intact Sandstone Specimen . . . . .	48
3.2.2	Deformation Failure Behavior of Flawed Sandstone with Two Coplanar Fissures . . . . .	50
3.2.3	Relationship Between Coplanar Fissure Angle and Mechanical Parameters . . . . .	52
3.3	Crack Initiation and Coalescence Behavior Analysis . . . . .	54
3.3.1	Crack Coalescence Type of Sandstone Containing Two Coplanar Fissures . . . . .	55
3.3.2	Crack Initiation and Coalescence Behavior of Pre-fissured Sandstone . . . . .	65
3.4	Conclusions . . . . .	74
	References . . . . .	74
<b>4</b>	<b>Experimental Investigation on Fracture Evolution Behavior of Brittle Sandstone Containing Three Fissures</b> . . . . .	77
4.1	Specimen Preparation and Testing Procedure . . . . .	77
4.1.1	Sandstone Material and Specimen Preparation . . . . .	77
4.1.2	Testing Procedure . . . . .	79
4.2	Analysis of Experimental Results . . . . .	79
4.2.1	Axial Stress–Strain Curve of Intact Specimen . . . . .	79
4.2.2	Axial Stress–Strain Curve of Flawed Specimens Containing Three Fissures . . . . .	81
4.3	Crack Initiation Mode and Analysis of the Coalescence Process . . . . .	84
4.3.1	Crack Initiation Mode and Stress Analysis . . . . .	84
4.3.2	Real-Time Crack Coalescence Process of Specimens for $\beta_2 = 75^\circ$ and $90^\circ$ . . . . .	86
4.3.3	Real-Time Crack Coalescence Process of Sandstone Specimens Containing Three Fissures ( $\beta_2 = 105^\circ$ and $120^\circ$ ) . . . . .	91
4.4	Crack Coalescence Type and Strain Evolution Analysis . . . . .	96
4.4.1	Crack Coalescence Type Analysis . . . . .	96
4.4.2	Strain Evolution Analysis . . . . .	98
4.5	Conclusions . . . . .	100
	References . . . . .	102

<b>5</b>	<b>Experimental Investigation on Fracture Coalescence Behavior of Red Sandstone Containing Two Unparallel Fissures</b> . . . . .	103
5.1	Experimental Material and Loading Procedure . . . . .	104
5.1.1	Experimental Material and Specimen Preparation . . . . .	104
5.1.2	Loading Procedure and AE Monitoring . . . . .	106
5.2	Strength and Deformation Behavior . . . . .	106
5.2.1	Axial Stress–Axial Strain Behavior . . . . .	106
5.2.2	Strength and Deformation Parameters . . . . .	110
5.3	Cracking Mode and Characteristics . . . . .	112
5.4	Crack Coalescence Process and AE Behavior . . . . .	116
5.5	Conclusions . . . . .	122
	References . . . . .	124
<b>6</b>	<b>Discrete Element Modeling on Fracture Coalescence Behavior of Red Sandstone Containing Two Unparallel Fissures</b> . . . . .	125
6.1	Discrete Element Modeling Method . . . . .	125
6.1.1	Micro-Bond Model . . . . .	125
6.1.2	Numerical Specimen . . . . .	126
6.1.3	Simulation Procedure . . . . .	128
6.2	Confirmation for Micro-Parameters of Red Sandstone . . . . .	128
6.2.1	Confirming Method for Micro-Parameters of Red Sandstone . . . . .	128
6.2.2	Calibrating Micro-parameters by Experimental Results of Intact Specimen . . . . .	130
6.3	Numerical Results of Red Sandstone Containing Two Unparallel Fissures . . . . .	131
6.3.1	Strength and Deformation Behavior . . . . .	131
6.3.2	Cracking Characteristics . . . . .	135
6.4	Stress Field in Red Sandstone Containing Two Unparallel Fissures . . . . .	146
6.5	Conclusions . . . . .	154
	References . . . . .	156
<b>7</b>	<b>Fracture Mechanical Behavior of Red Sandstone Containing a Single Fissure and Two Parallel Fissures After Exposure to Different High-Temperature Treatments</b> . . . . .	157
7.1	Rock Material and Testing Procedure . . . . .	158
7.1.1	The Experimental Material and Heating Procedure . . . . .	158
7.1.2	Specimen Preparation and Fissure Geometry . . . . .	158
7.1.3	Testing Procedure and AE Monitoring . . . . .	160
7.2	Strength and Deformation Behavior . . . . .	161
7.3	Fracture Evolution Behavior . . . . .	167
7.4	Interpretation and Discussion . . . . .	179
7.5	Conclusions . . . . .	181
	References . . . . .	182

<b>8</b>	<b>Experimental Investigation on Strength and Failure Behavior of Pre-cracked Marble Under Conventional Triaxial Compression . . .</b>	<b>185</b>
8.1	Experimental Methodology . . . . .	185
8.1.1	Marble Material . . . . .	185
8.1.2	Pre-cracked Sample Preparation . . . . .	186
8.1.3	Experimental Procedure . . . . .	188
8.2	Triaxial Experimental Results of Pre-cracked Marble . . . . .	189
8.2.1	Brittle-Ductile Transition Mechanism of Intact Marble . . . . .	189
8.2.2	Triaxial Stress–Strain Curves of Pre-cracked Marble . . . . .	191
8.3	Strength Behavior of Pre-cracked Marble . . . . .	195
8.3.1	Strength Behavior in Accordance with Mohr-Coulomb Criterion . . . . .	195
8.3.2	Strength Behavior in Accordance with Hoek-Brown Criterion . . . . .	199
8.3.3	A New Evaluation Criterion Based on Optimal Approximation Polynomial Theory . . . . .	204
8.4	Failure Mode of Pre-cracked Marble . . . . .	207
8.5	Conclusions . . . . .	214
	References . . . . .	215
<b>9</b>	<b>Numerical Investigation on the Failure Mechanical Behavior of Red Sandstone Containing Two Coplanar Fissures Under Conventional Triaxial Compression . . . . .</b>	<b>217</b>
9.1	Discrete Element Model and Micro-Parameters . . . . .	217
9.1.1	Intact Red Sandstone Material and Micro-Parameters . . . . .	218
9.1.2	Comparison of Triaxial Experimental and Numerical Results of Intact Specimen . . . . .	219
9.2	Macroscopic Strength and Deformation Behavior . . . . .	223
9.2.1	Triaxial Deformation Behavior of Red Sandstone Containing Two Coplanar Fissures . . . . .	224
9.2.2	Triaxial Strength Behavior of Red Sandstone Containing Two Coplanar Fissures . . . . .	228
9.3	Fracture Evolution Behavior . . . . .	231
9.3.1	Fracture Evolution Process of Intact Specimen . . . . .	232
9.3.2	Fracture Evolution Process of Flawed Specimen . . . . .	234
9.3.3	Effect of Confining Pressure and Coplanar Fissure Angle . . . . .	238
9.3.4	Stress and Displacement Field . . . . .	240
9.4	Conclusions . . . . .	244
	References . . . . .	246