

The molecular neuroanatomy, chemoarchitecture and projectome of the hypothalamic  
center regulating the stress response in larval zebrafish

Referees: Prof. Dr. Jochen Wittbrodt  
Dr. Soojin Ryu

## TABLE OF CONTENTS

Abstract

Zusammenfassung

Publications

Talks and poster presentations

1 Introduction	1
1.1 The stress response	1
1.2 The paraventricular nucleus of the hypothalamus	3
1.2.1 The mammalian PVN	3
1.2.2 The PVN homolog in fish	3
1.2.3 Transcription factor expression delineating the PVN-homologous region in vertebrates	4
1.2.4 Cell types of the PVN/NPO	4
1.3 The pituitary gland	7
1.4 The adrenal/interrenal gland	7
1.5 Zebrafish as a new model in stress research	8
1.5.1 Advantages	9
1.5.2 Challenges	9
2 Aims of the project	10
3 Results	11
3.1 Body axis and neuraxis	11
3.2 Defining the PVN-homologous region in larval zebrafish using conserved transcription factor expression	11
3.2.1 Comparison of preoptic <i>otpa</i> and <i>otpb</i> expression	12
3.2.2 The spatial arrangement of transcription factor expression domains in relation to <i>otpa</i>	12

3.3 Identification of peptidergic cell types present in the NPO	17
3.3.1 Anatomical landmarks in relation to the NPO	17
3.3.2 Typical PVN cell types are located inside and surrounding the NPO	20
3.3.3 The 3D location of neurosecretory cell types within the <i>otpa</i> -positive PO	22
3.3.4 Chemoarchitecture of the NPO	24
3.3.5 Avp and Oxt in the adult brain	30
3.4 NPO cell type subclassification based on peptide coexpression	31
3.4.1 Absence of coexpression in all animals	31
3.4.2 Variable coexpression	33
3.4.3 Consistent coexpression	36
3.5 A cis-regulatory module that allows targeted expression in the NPO	39
3.6 Morphological analysis of NPO cells reveals innervated target regions	43
3.6.1 The Brainbow technique in larval zebrafish	44
3.6.2 Morphological analysis of NPO cells producing Avp or Oxt	51
3.7 Generation of transgenic lines that allow specific manipulation of the cells within the stress axis	58
3.7.1 Targeted expression to manipulate the NPO	58
3.7.2 Transgenic access to manipulate the interrenal gland	60
3.8 Summary	66
4 Discussion	67
4.1 Comparative chemoarchitecture	67
4.2 Homology of the PVN and the NPO	68
4.3 Coexpression comparison with mammals	69
4.4 Functional implications of coexpressed neuropeptides	72
4.5 Transgenic manipulation of the stress axis	74
4.5.1 The stress response is dampened after genetic cell ablation using <i>otp</i> ECR6	74
4.5.2 Ablation of interrenal cells induces hypocortisolemia	74

4.6 Implications of single cell neuromorphology shown by Brainbow	75
5 Conclusion and Outlook	76
6 Material and Methods	79
6.1 Material	79
6.1.1 Buffers and solutions	79
6.1.2 Enzymes and reaction kits	80
6.1.3 Instruments	80
6.1.4 Animals	80
6.1.5 Plasmid constructs (transient injections)	81
6.1.6 Riboprobes and morpholinos	81
6.1.7 Antibodies	82
6.1.8 Microscopy	84
6.1.9 Software	84
6.2 Experimental procedure	84
6.2.1 Fish maintenance	85
6.2.2 Riboprobe synthesis	85
6.2.3 Whole-mount fluorescent in situ hybridization	86
6.2.4 Whole-mount immunohistochemistry	86
6.2.5 Transgenesis	87
6.2.6 Screening procedure	87
6.2.7 Embedding of larvae	87
6.2.8 Confocal microscopy	87
6.2.9 Image evaluation	87
6.2.10. Conditional targeted cell ablation	88
7 Abbreviations	89
8 References	92
Acknowledgements	104