

Contents

Preface *XXIII*

| | | |
|----------|--|-----------|
| 1 | The History of Vacuum Science and Vacuum Technology | 1 |
| | References | 16 |
| | Further Reading | 17 |
| 2 | Applications and Scope of Vacuum Technology | 19 |
| | References | 27 |
| 3 | Gas Laws and Kinetic Theory of Gases | 29 |
| 3.1 | Description of the Gas State | 29 |
| 3.1.1 | State Variables | 29 |
| 3.1.2 | Extensive Quantities | 33 |
| 3.1.3 | Equation of State of an Ideal Gas | 35 |
| 3.1.4 | Mixtures of Different Gas Species | 37 |
| 3.2 | Kinetic Theory of Gases | 38 |
| 3.2.1 | Model Conceptions | 38 |
| 3.2.2 | Wall Pressure due to Impacting Particles | 39 |
| 3.2.3 | Maxwell–Boltzmann Velocity Distribution | 41 |
| 3.2.4 | Collision Rate and Effusion | 44 |
| 3.2.5 | Size of Gas Particles and Free Path | 45 |
| 3.3 | Transport Properties of Gases | 50 |
| 3.3.1 | Pressure Dependence | 50 |
| 3.3.2 | Transport of Frictional Forces in Gases and Viscosity | 51 |
| 3.3.3 | Transport of Heat in Gases and Thermal Conductivity | 55 |
| 3.3.4 | Diffusion | 63 |
| 3.4 | Real Gases | 65 |
| 3.4.1 | Equations of State | 65 |
| 3.4.2 | Particle Properties and Gas Behavior | 69 |
| 3.5 | Vapors | 75 |
| 3.5.1 | Saturation Vapor Pressure | 75 |
| 3.5.2 | Evaporation Rate | 79 |

| | | |
|----------|--|-----|
| | References | 81 |
| | Comprehensive general treatments of the subject | 82 |
| 4 | Gas Flow | 83 |
| 4.1 | Types of Flows and Definitions | 83 |
| 4.1.1 | Characterizing Flow, Knudsen Number, and Reynolds Number | 83 |
| 4.1.2 | Gas Flow, Throughput, and Pumping Speed | 87 |
| 4.1.3 | Flow Resistance and Flow Conductance | 90 |
| 4.1.4 | Effective Pumping Speed of a Vacuum Pump | 92 |
| 4.2 | Inviscid Viscous Flow and Gas Dynamics | 93 |
| 4.2.1 | Conservation Laws | 93 |
| 4.2.2 | Gradual Change of Cross-Sectional Area: Isentropic Change of State | 95 |
| 4.2.3 | Critical Flow | 98 |
| 4.2.4 | Choked Flow at Low Outlet Pressure | 100 |
| 4.2.5 | Contraction of Flow into Aperture and Tube | 101 |
| 4.2.6 | Examples of Nozzle Flow | 102 |
| 4.2.7 | Straight and Oblique Compression Shocks | 106 |
| 4.2.8 | Laval Nozzle and Effluent Flow against Counterpressure | 108 |
| 4.2.9 | Flow Around a Corner (Prandtl–Meyer Flow) | 111 |
| 4.3 | Frictional–Viscous Flow through a Tube | 114 |
| 4.3.1 | Laminar and Turbulent Flows through a Tube | 114 |
| 4.3.2 | Airflow through a Tube | 118 |
| 4.3.3 | Air Inflow to a Vessel: Examples | 120 |
| 4.3.4 | Tube at the Inlet of a Pump: Examples | 125 |
| 4.3.5 | Flow through Ducts with Noncircular Cross Sections | 128 |
| 4.3.6 | Influence of Gas Species on Flow | 130 |
| 4.4 | Molecular Flow under High-Vacuum and Ultrahigh-Vacuum Conditions | 131 |
| 4.4.1 | Flow Pattern, Definitions, and Transmission Probability | 131 |
| 4.4.2 | Molecular Flow through an Aperture | 135 |
| 4.4.3 | Molecular Flow through a Tube with Constant Cross-Sectional Area | 137 |
| 4.4.4 | Molecular Flow through a Tube with Circular Cross Section | 139 |
| 4.4.5 | Molecular Flow through Tubes with Simple Cross-Sectional Geometry | 140 |
| 4.4.6 | Tube Bend and Tube Elbow | 143 |
| 4.4.7 | Series Connection of Tube and Aperture | 145 |
| 4.4.8 | Series Connection of Components | 146 |
| 4.4.9 | Molecular Flow through Conical Tube with Circular Cross Section (Funnel) | 148 |
| 4.4.10 | Component in the Inlet Line of a Pump | 150 |
| 4.5 | Flow throughout the Entire Pressure Range | 151 |
| 4.5.1 | Flow Ranges | 151 |
| 4.5.2 | Flow through a Thin Aperture with Circular Cross Section | 151 |

| | | |
|----------|---|------------|
| 4.5.3 | Flow through a Long Tube with Circular Cross Section | 154 |
| 4.6 | Flow with Temperature Difference, Thermal Effusion, and Transpiration | 158 |
| 4.7 | Measuring Flow Conductances | 162 |
| 4.7.1 | Necessity of Measurement | 162 |
| 4.7.2 | Measurement of Intrinsic Conductances (Inherent Conductances) | 162 |
| 4.7.3 | Calculation of Reduced Conductance (Assembly Conductance) | 164 |
| 4.7.4 | Measuring Reduced Conductances | 164 |
| | References | 166 |
| | Further Reading | 166 |
| 5 | Analytical and Numerical Calculations of Rarefied Gas Flows | 167 |
| 5.1 | Main Concepts | 167 |
| 5.1.1 | Knudsen Number and Gas Rarefaction | 167 |
| 5.1.2 | Macroscopic Quantities | 168 |
| 5.1.3 | Velocity Distribution Function | 168 |
| 5.1.4 | Global Equilibrium | 169 |
| 5.1.5 | Local Equilibrium | 170 |
| 5.1.6 | Boltzmann Equation | 170 |
| 5.1.7 | Transport Coefficients | 172 |
| 5.1.8 | Model Equations | 174 |
| 5.1.9 | Gas–Surface Interaction | 175 |
| 5.2 | Methods of Calculations of Gas Flows | 178 |
| 5.2.1 | General Remarks | 178 |
| 5.2.2 | Deterministic Methods | 178 |
| 5.2.3 | Probabilistic Methods | 179 |
| 5.3 | Velocity Slip and Temperature Jump Phenomena | 181 |
| 5.3.1 | Viscous Slip Coefficient | 182 |
| 5.3.2 | Thermal Slip Coefficient | 183 |
| 5.3.3 | Temperature Jump Coefficient | 184 |
| 5.4 | Momentum and Heat Transfer Through Rarefied Gases | 185 |
| 5.4.1 | Planar Couette Flow | 186 |
| 5.4.2 | Cylindrical Couette Flow | 189 |
| 5.4.3 | Heat Transfer between Two Plates | 193 |
| 5.4.4 | Heat Transfer between Two Coaxial Cylinders | 195 |
| 5.5 | Flows Through Long Pipes | 199 |
| 5.5.1 | Definitions | 199 |
| 5.5.2 | Free Molecular Regime | 201 |
| 5.5.3 | Slip Flow Regime | 202 |
| 5.5.4 | Transitional Regime | 203 |
| 5.5.5 | Arbitrary Pressure and Temperature Drops | 208 |
| 5.5.6 | Variable Cross Section | 214 |
| 5.5.7 | Thermomolecular Pressure Ratio | 216 |
| 5.6 | Flow Through an Orifice | 218 |
| 5.7 | Modeling of Holweck Pump | 221 |

- 5.8 Appendix A 223
 - 5.8.1 Tables 223
 - References 225

- 6 Sorption and Diffusion 229**
 - 6.1 Sorption Phenomena and the Consequences, Definitions, and Terminology 229
 - 6.2 Adsorption and Desorption Kinetics 234
 - 6.2.1 Adsorption Rate 234
 - 6.2.2 Desorption Rate 235
 - 6.2.3 Hobson Model of a Pump-down Curve 238
 - 6.2.4 Monolayer Adsorption Isotherms 242
 - 6.2.5 Multilayer Adsorption and Brunauer–Emmett–Teller (BET) Isotherm 244
 - 6.2.6 Monolayer Time 246
 - 6.3 Absorption, Diffusion, and Outgassing 247
 - 6.4 Permeation 254
 - References 256
 - Further Reading 256

- 7 Positive Displacement Pumps 259**
 - 7.1 Introduction and Overview 259
 - 7.2 Oscillating Positive Displacement Pumps 262
 - 7.2.1 Piston Pumps 262
 - 7.2.2 Diaphragm Pumps 264
 - 7.2.2.1 Design and Principle of Operation 264
 - 7.2.2.2 Pumping Speed and Ultimate Pressure 265
 - 7.2.2.3 Gas Ballast 266
 - 7.2.2.4 Drive Concepts 267
 - 7.2.2.5 Ultimate Pressure 267
 - 7.2.2.6 Influence of Gas Species on Pumping Speed and Ultimate Pressure 269
 - 7.2.2.7 Influence of Rotational Speed on Ultimate Pressure 269
 - 7.2.2.8 Design Principles 269
 - 7.2.2.9 Diaphragm Pumps in Chemical Laboratories 271
 - 7.2.2.10 Diaphragm Pumps as Backing Pumps to Turbomolecular Pumps 272
 - 7.2.2.11 Diaphragm Pumps Combined with Other Types of Vacuum Pumps 275
 - 7.3 Single-Shaft Rotating Positive Displacement Pumps 276
 - 7.3.1 Liquid Ring Vacuum Pumps 276
 - 7.3.1.1 Design and Principle of Operation 277
 - 7.3.1.2 Operating Properties and Dimensioning 278
 - 7.3.1.3 Designs 281
 - 7.3.1.4 Pump Units with Liquid Ring Vacuum Pumps 284
 - 7.3.1.5 Suggestions for Economical Operation 286
 - 7.3.2 Sliding Vane Rotary Pumps 287
 - 7.3.2.1 Operating Principle and Design 288

- 7.3.2.2 Dry-Running Sliding Vane Rotary Pumps 289
- 7.3.2.3 Oil-Lubricated Sliding Vane Rotary Pumps 290
- 7.3.2.4 Once-Through Lubricated Sliding Vane Rotary Pumps 292
- 7.3.2.5 Operating Behavior and Recommendations 293
- 7.3.2.6 Characteristic Curves and Ratings 295
- 7.3.3 Rotary Plunger Pumps 296
 - 7.3.3.1 Principle of Operation and Technical Design 296
 - 7.3.3.2 A Comparison of Sliding Vane Rotary Pumps and Rotary Plunger Pumps 300
- 7.3.4 Trochoidal Pumps 300
- 7.3.5 Scroll Pumps 302
 - 7.3.5.1 Principle of Compression 302
 - 7.3.5.2 Design 303
 - 7.3.5.3 Applications and Advantages 304
- 7.4 Twin-Spool Rotating Positive Displacement Pumps 305
 - 7.4.1 Screw-Type Pumps 305
 - 7.4.1.1 Operating Principle and Technical Design 305
 - 7.4.1.2 Heat Behavior and Technical Notes 311
 - 7.4.2 Claw Pumps 313
 - 7.4.2.1 Compression Principle 314
 - 7.4.2.2 Comparison with Roots Pumps 317
 - 7.4.2.3 Multistage Claw Pumps and Pump Combinations 317
 - 7.4.2.4 Speed Control 318
 - 7.4.2.5 Fields of Application 319
 - 7.4.3 Roots Pumps 319
 - 7.4.3.1 Principle of Operation 319
 - 7.4.3.2 Technical Setup 320
 - 7.4.3.3 Theoretical Basics 322
 - 7.4.3.4 Effective Gas Flow 322
 - 7.4.3.5 Compression Ratio K_0 at Zero Delivery 323
 - 7.4.3.6 Effective Compression Ratio and Volumetric Efficiency 324
 - 7.4.3.7 Gradation of Pumping Speed between Fore Pump and Roots Pump 325
 - 7.4.3.8 Pumping Speed and Ultimate Pressure 329
 - 7.4.3.9 Installation and Operating Suggestions 331
- 7.5 Specific Properties of Oil-Sealed Positive Displacement Pumps 331
 - 7.5.1 Pumping Speed and Producibile Ultimate Pressure 331
 - 7.5.1.1 Pumping Speed and Ultimate Partial Pressure 332
 - 7.5.1.2 Ultimate Pressure and Oil Selection 332
 - 7.5.2 Oil Backflow 336
- 7.6 Basics of Positive Displacement Pumps 337
 - 7.6.1 Pumping Down Vapors – Gas Ballast 337
 - 7.6.2 Power Requirements 342
 - 7.6.2.1 Isothermal Compression 343
 - 7.6.2.2 Adiabatic Compression 343

- 7.6.2.3 Polytropic Compression 343
- 7.6.2.4 Compression Power 344
- 7.7 Operating and Safety Recommendations 345
 - 7.7.1 Installation 345
 - 7.7.2 Starting and Shut Down, Inlet Valves 346
 - 7.7.3 Pump Selection and Operating Recommendations 347
 - 7.7.4 Technical Safety Recommendations 348
- 7.8 Specific Accessories for Positive Displacement Pumps 350
 - 7.8.1 Sorption Traps 350
 - 7.8.2 Safety Valves 351
 - 7.8.3 Oil Filter and Oil Cleaning 352
 - 7.8.4 Exhaust Filter (Oil–Mist Separator) 353
 - 7.8.5 Dust Filters 355
- References 356
- Further Reading on Positive Displacement Pumps 359

- 8 Condensers 361**
 - 8.1 Condensation Processes Under Vacuum 361
 - 8.1.1 Fundamentals 361
 - 8.1.2 Condensation of Pure Vapors 363
 - 8.1.3 Condensation of Gas–Vapor Mixtures 366
 - 8.1.4 Coolants 369
 - 8.2 Condenser Designs 370
 - 8.2.1 Surface Condensers for Liquid Condensation 370
 - 8.2.2 Direct Contact Condensers 372
 - 8.2.3 Condensate Discharge 374
 - 8.2.4 Surface Condensers for Solid Condensation 375
 - 8.3 Integrating Condensers into Vacuum Systems 376
 - 8.3.1 Condensers Combined with Vacuum Pumps 376
 - 8.3.2 Control 379
 - 8.4 Calculation Examples 380
 - References 382

- 9 Jet and Diffusion Pumps 383**
 - 9.1 Introduction and Overview 383
 - 9.2 Liquid Jet Vacuum Pumps 385
 - 9.3 Steam Jet Vacuum Pumps 387
 - 9.3.1 Design and Function 387
 - 9.3.2 Performance Data, Operating Behavior, and Control 389
 - 9.3.3 Multistage Steam Jet Vacuum Pumps 393
 - 9.3.4 Organic Vapors as Driving Pump Fluids 395
 - 9.4 Diffusion Pumps 396
 - 9.4.1 Design and Principle of Operation 396

| | | |
|-----------|---|------------|
| 9.4.2 | Pump Fluids | 400 |
| 9.4.3 | Baffles and Vapor Traps | 401 |
| 9.4.4 | Fractionating and Degassing | 403 |
| 9.4.5 | Operating Suggestions | 404 |
| 9.4.6 | Pumping Speed, Critical Backing Pressure, Hybrid Pumps | 405 |
| 9.4.7 | Calculating Performance Characteristics of Diffusion and Vapor Jet Pumps by Using a Simple Pump Model | 407 |
| 9.5 | Diffusion Pumps Versus Vapor Jet Pumps | 415 |
| | References | 417 |
| 10 | Molecular and Turbomolecular Pumps | 419 |
| 10.1 | Introduction | 419 |
| 10.2 | Molecular Pumps | 421 |
| 10.2.1 | Gaede Pump Stage | 422 |
| 10.2.2 | Holweck Pump Stage | 426 |
| 10.2.3 | Siegbahn Pump Stage | 427 |
| 10.3 | Molecular and Regenerative Drag Pump Combination | 427 |
| 10.3.1 | Regenerative Pump Mechanism | 428 |
| 10.3.2 | Pump Design and Applications | 429 |
| 10.4 | Physical Fundamentals of Turbomolecular Pump Stages | 430 |
| 10.4.1 | Pumping Mechanism | 430 |
| 10.4.2 | Pumping Speed and Compression Ratio | 431 |
| 10.4.3 | Gaede and Statistical Theory of the Pumping Effect | 432 |
| 10.4.3.1 | Consideration with Gaede | 432 |
| 10.4.3.2 | Statistical Consideration | 434 |
| 10.4.4 | Thermal Balance | 436 |
| 10.5 | Turbomolecular Pumps | 439 |
| 10.5.1 | Design and Function | 439 |
| 10.5.2 | Rotors of Turbomolecular Pumps | 441 |
| 10.5.2.1 | Rotor Design | 441 |
| 10.5.2.2 | Rotor Materials and Mechanical Requirements | 442 |
| 10.5.3 | Safety Requirements | 442 |
| 10.5.4 | Bearing Arrangements for Rotors in Turbomolecular Pumps | 443 |
| 10.5.4.1 | Shaft with Two Ball Bearings | 444 |
| 10.5.4.2 | Shaft With Permanent Magnet Bearing and Ball Bearing | 445 |
| 10.5.4.3 | Magnetic Bearings | 445 |
| 10.5.5 | Drives and Handling | 447 |
| 10.5.6 | Heating and Cooling | 448 |
| 10.5.7 | Special Designs | 448 |
| 10.6 | Performance Characteristics of Turbomolecular Pumps | 450 |
| 10.6.1 | Pumping Speed | 450 |
| 10.6.2 | Compression Ratio, Ultimate Pressure, and Base Pressure | 451 |
| 10.6.3 | Pump-down Times for Vacuum Chambers | 452 |
| 10.6.4 | Pumping of High Gas Throughputs | 453 |

| | | |
|-----------|---|------------|
| 10.7 | Operation and Maintenance of Turbomolecular Pumps | 455 |
| 10.7.1 | Backing Pump Selection | 455 |
| 10.7.2 | General Notes | 455 |
| 10.7.3 | Startup | 455 |
| 10.7.4 | Obtaining Base Pressure | 456 |
| 10.7.5 | Operation in Magnetic Fields | 456 |
| 10.7.6 | Venting | 456 |
| 10.7.7 | Maintenance | 457 |
| 10.8 | Applications | 457 |
| | References | 460 |
| 11 | Sorption Pumps | 463 |
| 11.1 | Introduction | 463 |
| 11.2 | Adsorption Pumps | 464 |
| 11.2.1 | Working Principle | 464 |
| 11.2.2 | Design | 466 |
| 11.2.3 | Ultimate Vacuum and Pumping Speed | 468 |
| 11.2.3.1 | Ultimate Pressure with a Single Adsorption Pump | 468 |
| 11.2.3.2 | Ultimate Pressure with Two or More Adsorption Pumps | 469 |
| 11.2.4 | Operating Suggestions | 471 |
| 11.3 | Getter | 472 |
| 11.3.1 | Mode of Operation and Getter Types | 472 |
| 11.3.2 | NEG Pumps | 474 |
| 11.3.2.1 | Fundamentals of Bulk Getters/NEG | 474 |
| 11.3.2.2 | Design of NEG Pumps | 478 |
| 11.3.2.3 | Pumping Speed and Getter Capacity | 479 |
| 11.3.2.4 | Applications of NEG Pumps | 481 |
| 11.3.2.5 | Safety and Operating Recommendations | 481 |
| 11.3.3 | Evaporation/Sublimation Pumps | 483 |
| 11.3.3.1 | Evaporation Materials | 483 |
| 11.3.3.2 | Pumping Speed | 484 |
| 11.3.3.3 | Getter Capacity | 486 |
| 11.3.3.4 | Design of Evaporation Getters | 487 |
| 11.4 | Ion Getter Pumps | 493 |
| 11.4.1 | Working Principle | 493 |
| 11.4.2 | Technical Design (Diode Type) | 497 |
| 11.4.3 | Pumping Speed | 498 |
| 11.4.4 | The Differential Ion Pump | 500 |
| 11.4.5 | Triode Pumps | 501 |
| 11.4.6 | Distributed Ion Pumps | 504 |
| 11.4.7 | Residual Gas Spectrum | 504 |
| 11.4.8 | Operation | 505 |
| 11.5 | Orbitron Pumps | 507 |
| | References | 508 |
| | Further Reading | 509 |

| | | |
|-----------|--|------------|
| 12 | Cryotechnology and Cryopumps | 511 |
| 12.1 | Introduction | 511 |
| 12.2 | Methods of Refrigeration | 512 |
| 12.2.1 | Gas Refrigeration Processes | 513 |
| 12.2.1.1 | Stirling Process | 515 |
| 12.2.1.2 | Gifford–McMahon Process | 516 |
| 12.2.1.3 | Pulse Tube Process | 518 |
| 12.2.2 | Cryostat with Liquid Cryogens | 519 |
| 12.2.3 | Measurement of Low Temperatures | 520 |
| 12.3 | Working Principles of Cryopumps | 520 |
| 12.3.1 | Gas Condensation | 523 |
| 12.3.2 | Cryosorption | 525 |
| 12.3.2.1 | Solid Adsorbents | 526 |
| 12.3.2.2 | Cryotrapping | 530 |
| 12.4 | Design of Cryopumps | 531 |
| 12.4.1 | Cryotechnological Constructive Parameters | 531 |
| 12.4.1.1 | Thermal Radiation | 531 |
| 12.4.1.2 | Thermal Conduction | 535 |
| 12.4.2 | Vacuum Technology: Design Parameters | 538 |
| 12.4.3 | Construction Principles | 541 |
| 12.4.3.1 | Bath Cryopumps | 541 |
| 12.4.3.2 | Refrigerator Cryopumps | 543 |
| 12.5 | Characteristics of a Cryopump | 547 |
| 12.5.1 | Starting Pressure | 547 |
| 12.5.2 | Ultimate Pressure | 548 |
| 12.5.3 | Pumping Speed | 549 |
| 12.5.4 | Service Life | 550 |
| 12.5.5 | Capacity (Maximum Gas Intake) | 552 |
| 12.5.6 | Crossover Value | 552 |
| 12.5.7 | Maximum Tolerable pV Flow | 552 |
| 12.5.8 | Resistance to Thermal Radiation | 552 |
| 12.5.9 | Regeneration | 552 |
| 12.5.10 | Performance Comparison | 555 |
| 12.6 | Application Examples | 555 |
| 12.6.1 | Cryopumps with Forced Cooling Using Supercritical Helium | 556 |
| 12.6.2 | Combined Refrigerator/Liquid Cryopumps | 558 |
| 12.6.3 | Cryopumps with Forced Cooling Using Liquid Cryogen | 559 |
| 12.6.4 | Cryopumps in Large Research Applications | 560 |
| 12.6.5 | Cryopumps in Industrial Facilities | 561 |
| 12.6.6 | Development Trends for Cryopumps | 561 |
| | References | 562 |
| 13 | Total Pressure Vacuum Gauges | 565 |
| 13.1 | Introduction | 565 |
| 13.2 | Mechanical Vacuum Gauges | 566 |

| | | |
|----------|---|-----|
| 13.2.1 | Principle and Classification | 566 |
| 13.2.2 | Corrugated-Diaphragm Vacuum Gauges | 567 |
| 13.2.3 | Capsule Element Vacuum Gauges (Measuring Range 1–100 kPa) | 568 |
| 13.2.4 | Bourdon Tube Vacuum Gauges (Measuring Range 1–100 kPa) | 569 |
| 13.2.4.1 | Quartz Bourdon Tube Vacuum Gauges | 570 |
| 13.2.5 | Diaphragm (Membrane) Vacuum Gauges | 571 |
| 13.2.5.1 | Diaphragm (Membrane) Vacuum Gauges with Mechanical Displays (Measuring Range 0.1–100 kPa) | 571 |
| 13.2.5.2 | Diaphragm (Membrane) Vacuum Gauges with Electrical Converters | 572 |
| 13.2.5.3 | Diaphragm (Membrane) Vacuum Gauges Using the Piezoresistive Principle | 574 |
| 13.2.5.4 | Piezoelectric Vacuum Gauges | 575 |
| 13.2.5.5 | Resonant Diaphragm Vacuum Gauges | 575 |
| 13.2.5.6 | Capacitance Diaphragm Vacuum Gauges | 576 |
| 13.2.5.7 | Thermal Transpiration | 580 |
| 13.2.6 | Pressure Switches and Pressure Controllers | 582 |
| 13.3 | Spinning Rotor Gauges (Gas-Friction Vacuum Gauges) | 584 |
| 13.3.1 | Measuring Setup and Measuring Principle | 584 |
| 13.3.2 | Retarding Effect due to Gas Friction | 586 |
| 13.3.3 | Measuring Procedure | 590 |
| 13.3.4 | Extending the Measuring Range toward Higher Pressures | 592 |
| 13.3.5 | Measuring Uncertainty | 592 |
| 13.4 | Direct Electric Pressure Measuring Transducers | 593 |
| 13.5 | Thermal Conductivity Vacuum Gauges | 594 |
| 13.5.1 | Principle | 594 |
| 13.5.2 | Thermal Conductivity Vacuum Gauges with Constant Wire Temperature | 597 |
| 13.5.3 | Thermal Conductivity Vacuum Gauges with Constant Heating | 601 |
| 13.5.4 | Thermocouple Vacuum Gauges | 602 |
| 13.5.5 | Thermistors | 603 |
| 13.5.6 | Guidelines for Operating Thermal Conductivity Vacuum Gauges | 603 |
| 13.6 | Thermal Mass Flowmeters | 604 |
| 13.7 | Ionization Gauges | 607 |
| 13.7.1 | Principle and Classification | 607 |
| 13.7.2 | History of Ionization Gauges | 608 |
| 13.7.3 | Emitting-Cathode Ionization Gauges (Hot-Cathode Ionization Gauges) | 610 |
| 13.7.3.1 | Measurement Principle | 610 |
| 13.7.3.2 | Design of Emitting-Cathode Ionization Gauges (Hot-Cathode Ionization Gauges) | 613 |
| 13.7.3.3 | Concentric Triode | 614 |
| 13.7.3.4 | Fine-Vacuum Ionization Gauges | 614 |
| 13.7.3.5 | Bayard–Alpert Ionization Gauges | 615 |
| 13.7.3.6 | Extractor Ionization Gauges | 620 |

- 13.7.3.7 Additional Types of Emitting-Cathode Ionization Gauges 623
- 13.7.3.8 Operating Suggestions for Emitting-Cathode Ionization Gauges 623
- 13.7.4 Crossed-Field Ionization Gauges 625
 - 13.7.4.1 Penning Gauges 625
 - 13.7.4.2 Magnetron and Inverted Magnetron 630
- 13.7.5 Comparison of Both Types of Ionization Gauges 631
- 13.7.6 General Suggestions 633
- 13.8 Combined Vacuum Gauges 637
 - References 639

- 14 Partial Pressure Vacuum Gauges and Leak Detectors 643**
 - 14.1 Introduction 643
 - 14.2 Partial Pressure Analysis by Mass Spectrometry 643
 - 14.2.1 Ion Source Design 648
 - 14.2.1.1 Open Ion Sources (OIS) 649
 - 14.2.1.2 Closed Ion Sources (CIS) 651
 - 14.2.1.3 Molecular Beam Ion Sources (MBIS) 652
 - 14.2.2 Filament Materials 652
 - 14.2.3 Artifacts in the Mass Spectrum due to the Ion Source 654
 - 14.2.4 Mass Analyzers 655
 - 14.2.4.1 Quadrupole Mass Analyzers 655
 - 14.2.4.2 Miniaturized Quadrupole Mass Analyzers 659
 - 14.2.4.3 Magnetic Sector Analyzers 661
 - 14.2.4.4 Autoresonant Ion Trap Mass Analyzers 664
 - 14.2.5 Ion Detectors 665
 - 14.2.5.1 Faraday Cups 665
 - 14.2.5.2 SEM Detection 666
 - 14.2.5.3 Discrete Dynode Electron Multipliers 667
 - 14.2.5.4 Continuous Dynode Electron Multipliers (CDEM) 668
 - 14.2.5.5 Microchannel Plate Detectors 669
 - 14.2.6 Software for Mass Spectrometer Control 670
 - 14.2.6.1 Analog Scan, Ion Current versus Mass 670
 - 14.2.6.2 Selected Peaks, Ion Current versus Time 671
 - 14.2.6.3 Leak Detection Mode 671
 - 14.2.7 Further Applications of Mass Spectrometers 671
 - 14.3 Partial Pressure Measurement Using Optical Methods 672
 - 14.4 Leak Detectors 675
 - 14.4.1 Basic Principles and Historical Overview 675
 - 14.4.2 Helium Leak Detectors 675
 - 14.4.2.1 Requirements and General Functions of Vacuum Leak Detection 675
 - 14.4.2.2 Helium Sector Field Mass Spectrometers 676
 - 14.4.2.3 Inlet Pressure of Helium Leak Detectors 677
 - 14.4.2.4 Time Response of Helium Leak Detectors 678
 - 14.4.2.5 Operating Principles of Helium Leak Detectors 679
 - 14.4.2.6 Sniffing Devices for Helium Leak Detectors 683

| | | |
|-----------|---|------------|
| 14.4.2.7 | Applications of Mass Spectrometer Helium Leak Detectors | 684 |
| 14.4.3 | Refrigerant Leak Detectors | 685 |
| 14.4.3.1 | Design and Operating Principle | 685 |
| 14.4.3.2 | Applications | 687 |
| 14.4.4 | Reference Leaks | 687 |
| 14.4.4.1 | Permeation Leaks | 687 |
| 14.4.4.2 | Conductance Leaks | 688 |
| 14.4.4.3 | Practical Realization of Reference Leaks | 688 |
| 14.4.4.4 | Calibrating Reference Leaks | 689 |
| 14.4.5 | Measuring Characteristics and Calibration of Leak Detectors | 689 |
| 14.4.5.1 | Leak Detectors as Test Equipment According to ISO 9001 | 689 |
| 14.4.5.2 | Calibration Uncertainty | 690 |
| 14.4.6 | Leak Detectors Based on Other Sensor Principles | 691 |
| 14.4.6.1 | Helium Sniffers with Quartz Glass Membrane | 691 |
| 14.4.6.2 | Halogen Leak Detectors with Alkali Ion Sensors | 691 |
| 14.4.6.3 | Halogen Leak Detectors with Infrared Sensors | 692 |
| | References | 692 |
| 15 | Calibrations and Standards | 697 |
| 15.1 | Introduction | 697 |
| 15.2 | Calibration of Vacuum Gauges | 700 |
| 15.2.1 | Primary Standards | 700 |
| 15.2.1.1 | Liquid Manometers | 701 |
| 15.2.1.2 | Compression Manometer after McLeod | 704 |
| 15.2.1.3 | Piston Gauges and Pressure Balances | 707 |
| 15.2.1.4 | Static Expansion Method | 710 |
| 15.2.1.5 | Continuous Expansion Method | 716 |
| 15.2.1.6 | Other Primary Standards | 722 |
| 15.2.2 | Calibration by Comparison | 723 |
| 15.2.3 | Capacitance Diaphragm Gauges | 724 |
| 15.2.4 | Spinning Rotor Gauges | 728 |
| 15.2.5 | Ionization Gauges | 731 |
| 15.3 | Calibrations of Residual Gas Analyzers | 733 |
| 15.4 | Calibration of Test Leaks | 735 |
| 15.5 | Standards for Determining Characteristics of Vacuum Pumps | 738 |
| | References | 742 |
| 16 | Materials | 747 |
| 16.1 | Requirements and Overview of Materials | 747 |
| 16.2 | Materials for Vacuum Technology | 749 |
| 16.2.1 | Metals | 749 |
| 16.2.1.1 | The Most Important Metals and Metal Alloys | 749 |
| 16.2.2 | Technical Glass | 753 |

- 16.2.2.1 Basics 753
- 16.2.2.2 Properties of Important Glasses 755
- 16.2.3 Ceramic Materials 757
 - 16.2.3.1 Basics 757
 - 16.2.3.2 Properties of Important Ceramics 757
 - 16.2.3.3 Ceramics in Vacuum Technology 758
 - 16.2.3.4 Ceramic/Metal Joining Technologies 758
 - 16.2.3.5 Zeolite 758
- 16.2.4 Plastics 760
 - 16.2.4.1 Basics 760
 - 16.2.4.2 Properties of Major Plastics 760
- 16.2.5 Vacuum Greases 760
- 16.2.6 Oils 762
- 16.2.7 Coolants 763
- 16.3 Gas Permeability and Gas Emissions of Materials 763
 - 16.3.1 Fundamentals 763
 - 16.3.2 Gas Permeability 763
 - 16.3.2.1 Gas Permeability of Metals 764
 - 16.3.2.2 Gas Permeability of Glasses and Ceramics 764
 - 16.3.2.3 Gas Permeability of Plastics 767
 - 16.3.3 Gas Emissions 768
 - 16.3.3.1 Basics 768
 - 16.3.3.2 Saturation Vapor Pressure 768
 - 16.3.3.3 Surface Desorption, Gas Diffusion from Bulk Material, Reference Values for Gas Emissions 770
 - 16.3.4 Gas Diffusion from Bulk Material 770
 - 16.3.5 Reference Values for Total Gas Emission Rates 774
 - References 774
 - Further Reading 775
- 17 Vacuum Components, Seals, and Joints 777**
 - 17.1 Introduction 777
 - 17.2 Vacuum Hygiene 778
 - 17.3 Joining Technologies in Vacuum Technology 781
 - 17.3.1 Permanent Connections 783
 - 17.3.1.1 Welding 784
 - 17.3.1.2 Brazing 786
 - 17.3.1.3 Adhesive Bonding 791
 - 17.3.2 Detachable Connections 793
 - 17.3.2.1 Elastomer-Sealed, Static, Detachable Connections (KF, ISO, and Others) 794
 - 17.3.2.2 Metal-Sealed, Static, Detachable Connections 802
 - 17.4 Components 806
 - 17.4.1 Standard Components and Chambers 806
 - 17.4.2 Mechanical Feedthroughs 813

| | | |
|-----------|---|------------|
| 17.4.3 | Valves | 817 |
| 17.4.4 | Electrical Feedthroughs | 823 |
| 17.4.5 | Optical Feedthroughs | 829 |
| 17.4.6 | Heat Supply and Dissipation | 833 |
| | Abbreviations | 839 |
| | References | 840 |
| 18 | Operating Vacuum Systems | 843 |
| 18.1 | Electronic Integration of Vacuum Systems | 843 |
| 18.1.1 | Control by Means of Process Sensors and Automated Data Processing | 843 |
| 18.1.1.1 | Requirements and Applications | 843 |
| 18.1.2 | Integrated Solutions | 845 |
| 18.1.2.1 | ASCII Protocols | 846 |
| 18.1.2.2 | Standardized Bus Systems | 846 |
| 18.1.2.3 | Sensor Integration According to SECS and HSMS Standards | 847 |
| 18.1.2.4 | Process-Data Analysis | 849 |
| 18.2 | Calculation of Vacuum Systems | 851 |
| 18.2.1 | Analytical and Numerical Calculation | 851 |
| 18.2.2 | Calculation by Analog Electrical Network | 852 |
| 18.2.3 | Ultimate and Working Pressure in Vacuum Systems | 854 |
| 18.2.3.1 | Ultimate Pressure | 854 |
| 18.2.3.2 | Operating Pressure | 855 |
| 18.3 | Pressure Control | 859 |
| 18.4 | Techniques for Operating Low-Vacuum Systems | 860 |
| 18.4.1 | Overview | 860 |
| 18.4.2 | Assembly of Low-Vacuum Systems | 861 |
| 18.4.3 | Pumps: Types and Pumping Speeds | 862 |
| 18.4.4 | Low-Vacuum Pump Stands | 862 |
| 18.4.5 | Low-Vacuum Pressure Measurement | 864 |
| 18.4.6 | Pressure and Pump-Down Times in Low Vacuum | 864 |
| 18.4.7 | Venting | 869 |
| 18.5 | Techniques for Operating Fine-Vacuum Systems | 870 |
| 18.5.1 | Overview | 870 |
| 18.5.2 | Assembly of Fine-Vacuum Systems | 870 |
| 18.5.3 | Pumps: Types and Pumping Speeds | 871 |
| 18.5.4 | Pressure Measurement | 871 |
| 18.5.5 | Pump-Down Time and Ultimate Pressure | 872 |
| 18.5.6 | Venting | 877 |
| 18.5.7 | Fine-vacuum Pump Stands | 877 |
| 18.6 | Techniques for Operating High-Vacuum Systems | 879 |
| 18.6.1 | Pumps: Types and Pumping Speeds | 879 |

- 18.6.2 Cleaning of Vacuum Gauges 880
- 18.6.3 High-Vacuum Pump Stands 882
 - 18.6.3.1 High-Vacuum Pump Stands with Diffusion Pumps 882
 - 18.6.3.2 High-Vacuum Pump Stands with Turbomolecular Pumps 889
 - 18.6.3.3 Fully Automatic High-Vacuum Pump Stands 890
- 18.6.4 Pump-Down Time and Venting 891
- 18.7 Techniques for Operating Ultrahigh-Vacuum Systems 892
 - 18.7.1 Overview 892
 - 18.7.2 Operating Guidelines for UHV Pumps 893
 - 18.7.2.1 Adsorption Pumps 894
 - 18.7.2.2 Ion Getter Pumps 894
 - 18.7.2.3 Titanium Evaporation Pumps 895
 - 18.7.2.4 Turbomolecular Pumps 896
 - 18.7.2.5 Cryopumps 896
 - 18.7.2.6 Bulk Getter (NEG) Pumps 896
 - 18.7.3 Pressure Measurement 897
 - 18.7.4 Pump-Down Times, Ultimate Pressure, and Evacuating Procedures 897
 - 18.7.5 Venting 898
 - 18.7.6 Ultrahigh-Vacuum Systems 898
 - 18.7.7 Ultrahigh-Vacuum (UHV) Components 898
 - 18.7.8 Ultrahigh-Vacuum (UHV) Pump Stands 899
 - 18.7.8.1 Large Ultrahigh-Vacuum (UHV) Facilities 901
 - References 904
- 19 Methods of Leak Detection 907**
 - 19.1 Overview 907
 - 19.1.1 Vacuum Leak Detection 907
 - 19.1.2 Overpressure Leak Detection 908
 - 19.1.3 Tracer-Gas Distribution in the Atmosphere in Front of a Leak 909
 - 19.1.4 Measurement Results with the Sniffing Method 910
 - 19.1.5 Tracer-Gas Species 911
 - 19.1.5.1 Helium 911
 - 19.1.5.2 Noble Gases Other Than Helium 911
 - 19.1.5.3 Hydrogen H₂ 911
 - 19.1.5.4 Methane CH₄ 912
 - 19.1.5.5 Carbon Dioxide CO₂ 912
 - 19.1.5.6 Sulfur Hexafluoride SF₆ 912
 - 19.2 Properties of Leaks 912
 - 19.2.1 Leak Rate, Units 912
 - 19.2.2 Types of Leaks 913

- 19.2.2.1 Properties of Pore-like Leaks 914
- 19.2.2.2 Permeation Leaks 916
- 19.2.2.3 Virtual Leaks in Vacuum Vessels 917
- 19.2.2.4 Liquid Leaks 917
- 19.3 Overview of Leak-Detection Methods
(See Also DIN EN 1779) 918
- 19.3.1 General Guidelines for Tightness Testing 918
- 19.3.2 Methods without Tracer Gas (Pressure Testing) 919
- 19.3.2.1 Introduction 919
- 19.3.2.2 Pressure Loss Measurement 920
- 19.3.2.3 Pressure Rise Measurement 920
- 19.3.2.4 Additional Methods 922
- 19.3.3 Tracer-Gas Methods without Helium 922
- 19.3.3.1 Basics 922
- 19.3.3.2 Vacuum Leak Detection with Non-helium Tracer Gas 923
- 19.3.3.3 Overpressure Leak Detection with Tracer Gases Other Than Helium 924
- 19.4 Leak Detection Using Helium Leak Detectors 925
- 19.4.1 Properties of Helium Leak Detectors 925
- 19.4.2 Testing of Components 926
- 19.4.2.1 Testing Procedure, Integral Testing 926
- 19.4.2.2 Procedure for Leak Localization 927
- 19.4.3 Testing of Vacuum Systems 929
- 19.4.3.1 General Considerations for Partial Flow Operation 930
- 19.4.3.2 Points on Systems for Connecting Leak Detectors 931
- 19.4.3.3 Detection Limit and Response Time 933
- 19.4.4 Overpressure (Sniffing) Leak Detection with a Helium Leak Detector 934
- 19.4.4.1 Integral Procedure (Total or Partial) 935
- 19.4.4.2 Leak Localization with a Sniffer 936
- 19.5 Leak Detection with Other Tracer Gases 936
- 19.5.1 Basics 936
- 19.5.2 Sniffing Leak Detection on Refrigerators and Air Conditioners 936
- 19.6 Industrial Tightness Testing of Mass-Production Components 937
- 19.6.1 Basics 937
- 19.6.2 Industrial Testing of Series Components 937
- 19.6.2.1 Envelope Testing Method for Vacuum Components (Method A1 in EN 1779) 938
- 19.6.2.2 Vacuum Chamber Method for Overpressure Components (Method B6 in EN 1779) 938

19.6.2.3 Testing of Hermetically Sealed Components by Means of Bombing
(Method B5 in EN 1779) 940

19.6.2.4 Testing of Food Packaging in Flexible Test Chambers 941

References 942

Further Reading 942

Appendix 943

Index 1003

Directory of Products and Suppliers 1023