

**Studies
for the
ALICE Inner Tracking System Upgrade**

Referees: Prof. Dr. Johanna Stachel
Prof. Dr. Peter Fischer

Contents

1. Introduction	1
1.1. The Quark-Gluon Plasma	1
1.2. Signatures of the QGP	3
1.3. Heavy Flavour Probes	5
1.4. Thesis Outline	7
2. The D^0 Meson	9
2.1. D^0 Meson Production	9
2.1.1. Prompt D^0 Production	9
2.1.2. Feed-Down from B Mesons	10
2.2. The $D^0 \rightarrow K^- \pi^+$ Decay and Kinematics	13
3. The ALICE Detector	15
3.1. Detector System Overview	16
3.2. Triggering System and Data Acquisition	17
3.3. Vertex and Track Reconstruction	18
3.4. Particle Identification	21
4. Measurement of Prompt and Feed-Down D^0 Mesons in the $K^- \pi^+$ Decay Channel	23
4.1. $D^0 \rightarrow K^- \pi^+$ Reconstruction	24
4.1.1. D^0 Meson Selection Criteria	25
4.2. Feed-Down Separation Using Cut Variations	27
4.3. Analysis of p-Pb Data	29
4.3.1. p-Pb Data Sample	29
4.3.2. Event Selection	30
4.3.3. Track Selection	30
4.4. Choice of Cut Sets	31
4.5. Invariant-Mass Distributions	33
4.6. Acceptance times Efficiency	35
4.7. Systematic Uncertainties	37
4.7.1. Yield Extraction	37
4.7.2. Efficiency Determination	38
4.7.3. Propagation of Yield Extraction and Acceptance times Efficiency Systematic Uncertainties	40
4.7.4. Cut Variation	41
4.7.5. Normalisation of the Decay Length	41
4.7.6. Total Systematic Uncertainty	42
4.8. Cross Sections	45
4.8.1. Prompt D^0 Production	45

4.8.2. Feed-Down D^0 Production	47
4.9. Summary	48
5. ALICE Inner Tracking System Upgrade	49
5.1. ALICE Upgrade	49
5.2. Inner Tracking System Upgrade Design Objectives	50
5.3. Layout and Environment of the Upgraded Inner Tracking System	51
5.3.1. Choice of Pixel Chip Technology	52
5.4. MAPS for the ALICE ITS Upgrade	53
5.4.1. Charge Generation and Collection in MAPS	54
5.4.2. Chip Architectures	57
5.5. The ALPIDE family	58
5.5.1. ALPIDE Front-End Circuit	60
5.5.2. Address-Encoder and Reset-Decoder Circuit	63
5.5.3. pALPIDEss	63
5.5.4. pALPIDE-2	67
6. Characterising MAPS for the ALICE ITS Upgrade	69
6.1. Measurement Techniques	69
6.1.1. Laboratory Measurements	70
6.1.2. Test-Beam Measurements	74
6.1.3. Trigger Setup	75
6.1.4. Software Framework and Measurement Technique	76
6.2. Characterisation Results	78
6.2.1. Light Sensitivity of pALPIDEss-0	78
6.2.2. Front-End Parameter Studies	79
6.2.3. Comparison of the pALPIDEss Generations and Versions	82
6.2.4. Fake-Hit Rate	84
6.2.5. Pulse Width	88
6.2.6. Detection Efficiency and Fake-Hit Rate	91
6.2.7. Position Resolution and Cluster Size	95
6.3. Summary	98
7. Measurement of $D^0 \rightarrow K^- \pi^+$ with the Upgraded ITS	99
7.1. Invariant-Mass Distributions	100
7.2. Acceptance times Efficiency	102
7.3. Systematic Uncertainties	103
7.4. Cross Sections	104
7.4.1. Prompt D^0 Production	104
7.4.2. Feed-Down D^0 Production	105
7.5. Summary	106
8. Conclusions and Outlook	107

A. Additional Analysis Figures and Information	111
A.1. p-Pb Data Sample Details	111
A.2. Variables for Cut Set Definition	111
A.3. Stability of the Method	113
A.3.1. Statistical Uncertainty Propagation	113
A.3.2. Sensitivity to Biases on Acceptance times Efficiency	115
A.4. Systematic Uncertainties	118
A.4.1. Yield Extraction	118
A.4.2. Efficiency Determination	118
A.5. Minimisation	122
A.6. Summary Table	122
A.7. Upgrade Study	124
B. Additional Characterisation Information and Figures	129
B.1. Light Sensitivity of the pALPIDEss-0	129
B.2. Fake-Hit Rate Model Comparison	130
B.3. Detection Efficiency and Fake-Hit Rate	131
B.3.1. pALPIDEss	131
B.3.2. pALPIDE-2	135
B.4. Position Resolution and Cluster Size	137
C. ITS Upgrade SRS Readout System	139
C.1. Scalable Readout System	139
C.1.1. Front-End Concentrator Card	140
C.1.2. Adapter Cards	140
C.1.3. PC Interface	141
C.2. Padova Proximity Board	141
C.3. Firmware	143
C.3.1. General	143
C.4. Software	148
D. Acronyms and Technical Terms	151
E. Bibliography	153