

Contents

1. Introduction	1
2. Explored systems and interaction models	9
2.1. Hydrodynamically structured particles	9
2.1.1. Necessity of hydrodynamic particle modeling	9
2.1.2. Pair potential models	12
2.1.3. Analytic toolbox for the hydrodynamic radius model (HRM)	15
2.2. Charge-stabilized particles	16
2.2.1. Ionic microgels	16
2.2.2. Ultrafiltration (UF) of charge-stabilized suspensions	18
2.3. SALR systems	21
2.3.1. Importance and examples of these systems	21
2.3.2. Two models	24
2.3.3. Phase behavior	27
2.4. Polydisperse zwitterionic microgels	30
2.4.1. Schulz particle size distribution	31
2.4.2. Form factor model	32
3. Theory of equilibrium microstructure	35
3.1. Static distribution functions	35
3.2. Static structure factor	38
3.3. Thermodynamic properties	39
3.3.1. State-independent pair potentials	40
3.3.2. State-dependent pair potentials	41
3.4. Ornstein-Zernike based integral equations	41
3.4.1. Verlet-Weis corrected Percus-Yevick solution for hard spheres	42
3.4.2. HNC scheme	43
3.4.3. Zerah-Hansen scheme	44
3.4.4. Random phase approximation	45
3.5. Polydispersity and decoupling approximation	46
4. Dynamic properties	51
4.1. Fundamentals	51
4.1.1. Hydrodynamic time- and length-scales	51
4.1.2. Generalized Smoluchowski equation	53
4.1.3. Hydrodynamic interactions	55
4.1.4. Hydrodynamic particle modeling and boundary conditions	57
4.1.5. Dynamic structure factor	62
4.1.6. Basics of DLS and NSE	62
4.2. Short-time dynamics	64

4.2.1.	Hydrodynamic function	64
4.2.2.	High-frequency viscosity	67
4.3.	Long-time dynamics	68
4.3.1.	Self-diffusion coefficient	68
4.3.2.	Zero-frequency viscosity	69
4.4.	Methods of calculations	70
4.4.1.	PA approximation for the HRM	70
4.4.2.	Beenakker-Mazur method for the HRM	74
4.4.3.	Hybrid BM-PA scheme	75
4.4.4.	Simplified MCT for the long-time dynamics	76
5.	Dispersions of hydrodynamically structured particles: Results	79
5.1.	Equilibrium structure functions	79
5.2.	Short-time dynamics	82
5.2.1.	Self-diffusion coefficient	82
5.2.2.	Sedimentation velocity	85
5.2.3.	Hydrodynamic function scaling	89
5.2.4.	High-frequency viscosity	92
5.2.5.	Generalized Stokes-Einstein relation	94
5.3.	Comparison with experiments on non-ionic microgels	96
5.4.	Long-time dynamics	99
5.4.1.	Self-diffusion coefficient	100
5.4.2.	Zero-frequency viscosity	103
5.4.3.	Long-time generalized Stokes-Einstein relations	108
6.	Charged-particles dispersions: Results	111
6.1.	Ionic microgels: softness and permeability effects	111
6.1.1.	Structure functions	112
6.1.2.	Short-time dynamics	113
6.2.	Application to ultrafiltration of charged particles	115
6.2.1.	Cross-flow ultrafiltration (UF) model	116
6.2.2.	Experimental sample properties	119
6.2.3.	Renormalized charge and screening length	119
6.2.4.	Osmotic pressure and compressibility	122
6.2.5.	Pair-structure functions	127
6.2.6.	Transport properties	128
6.2.7.	PA-MCT results for the zero-frequency viscosity	130
6.2.8.	UF experimental details	134
6.2.9.	Theoretical results	135
6.2.10.	Comparison with experiment	138
7.	Zwitterionic microgels	141
7.1.	Sample preparation	141
7.2.	Measured structure functions including polydispersity	141

8. Systems with short-range attraction and long-range repulsion	147
8.1. Two-Yukawa SALR systems	147
8.1.1. Parameter models	147
8.1.2. Gas-liquid critical temperature	149
8.1.3. Variation of attraction strength	150
8.1.4. Effect of short-range attraction	169
8.1.5. Variation of the repulsion range	172
8.1.6. Variation of the effective attraction range	174
8.2. Comparison with experiment	177
8.3. Modified Lennard-Jones-Yukawa system	181
8.3.1. Pair structure	181
8.3.2. Short-time dynamics	182
8.3.3. Comparison with MPC simulations	184
9. Conclusions and outlook	187
Abbreviations	195
A. OZ-based integral equation theory	197
A.1. Percus-Yevick closure for hard spheres	197
A.2. Verlet-Weis correction	197
B. Dynamic calculation methods	199
B.1. PA mobilities in far-distance expansion	199
B.2. Implementation of the BM method	199
Bibliography	201
Acknowledgments	225