

## Contents

|          |                                                                                |           |
|----------|--------------------------------------------------------------------------------|-----------|
| <b>1</b> | <b>Introduction and Conclusions</b>                                            | <b>1</b>  |
| <b>2</b> | <b>The group <math>\widetilde{G}</math></b>                                    | <b>4</b>  |
| 2.1      | The group $\widetilde{SU}(N)$                                                  | 5         |
| 2.1.1    | Representations and invariants                                                 | 6         |
| 2.1.2    | Integration Formula                                                            | 9         |
| 2.1.3    | The $\widetilde{SU}(3)$ example                                                | 11        |
| 2.2      | The group $\widetilde{SO}(2N)$                                                 | 12        |
| <b>3</b> | <b>Supersymmetric gauge theory with gauge group <math>\widetilde{G}</math></b> | <b>13</b> |
| <b>4</b> | <b>The non-freely generated Coulomb branch</b>                                 | <b>15</b> |
| <b>5</b> | <b>Higgs branch and global symmetry of SQCD</b>                                | <b>17</b> |
| <b>A</b> | <b>Invariant Theory</b>                                                        | <b>20</b> |
| A.1      | Properties of invariant rings                                                  | 20        |
| A.2      | Algorithm to find invariants                                                   | 21        |
| A.3      | Invariants in some representations of $\widetilde{SU}(N)$                      | 22        |
| <b>B</b> | <b>Technical Details</b>                                                       | <b>23</b> |
| <b>C</b> | <b>The Coulomb branch of <math>\widetilde{E}_6</math> theory</b>               | <b>25</b> |