

Contents

| | | |
|----------|---|-----------|
| 1 | Introduction | 1 |
| 2 | Solid-liquid Equilibrium in Systems with 2-Keto-L-Gulonic Acid | 3 |
| 2.1 | Introduction | 3 |
| 2.2 | Chemicals | 4 |
| 2.3 | Experimental Procedure | 5 |
| 2.3.1 | System HKGA + NaKGA + Water | 5 |
| 2.3.2 | System HKGA + Vitamin C + Water | 6 |
| 2.3.3 | System HKGA + NaKGA + HCl + NaCl + Water | 7 |
| 2.4 | Models | 9 |
| 2.4.1 | System HKGA + NaKGA + Water | 9 |
| 2.4.2 | System HKGA + Vitamin C + Water | 11 |
| 2.4.3 | System HKGA + NaKGA + HCl + NaCl + Water | 12 |
| 2.5 | Results and Discussion | 13 |
| 2.5.1 | System HKGA + NaKGA + Water | 13 |
| 2.5.2 | System HKGA + Vitamin C + Water | 18 |
| 2.5.3 | System HKGA + NaKGA + HCl + NaCl + Water | 22 |
| 2.6 | Conclusions | 29 |
| 3 | Modeling Poorly Specified Mixtures with NEAT | 31 |
| 3.1 | Introduction | 31 |
| 3.2 | Fundamentals of NEAT | 32 |
| 3.2.1 | Activities and Activity Coefficients | 35 |
| 3.2.2 | UNIFAC Method | 36 |
| 3.3 | Chemicals | 37 |
| 3.4 | Experimental Procedure | 38 |
| 3.5 | Application of NEAT | 38 |
| 3.5.1 | Estimation of Chemical Groups and Prediction of Activity Coefficients | 38 |
| 3.5.2 | Prediction of the Concentration Dependence of Activity Coefficients | 43 |
| 3.5.3 | Simulation of Liquid-Liquid Extraction Processes with Poorly Specified Feeds | 44 |

| | | |
|----------|--|------------|
| 3.6 | Results and Discussion | 46 |
| 3.6.1 | Non-Reactive Aqueous Poorly Specified Mixtures | 46 |
| 3.6.2 | Reactive Aqueous Poorly Specified Mixtures | 53 |
| 3.6.3 | Non-Aqueous Poorly Specified Mixtures | 56 |
| 3.6.4 | Composition Dependence of Activity Coefficients | 61 |
| 3.6.5 | Simulation of Liquid-Liquid Extraction Processes with Poorly Specified Feeds | 71 |
| 3.7 | Conclusions | 78 |
| 4 | Partial Molar Volume of Proteins in Electrolyte Solutions | 81 |
| 4.1 | Introduction | 81 |
| 4.2 | Chemicals | 83 |
| 4.3 | Experimental Procedure | 84 |
| 4.4 | Molecular Simulations | 85 |
| 4.5 | Results and Discussion | 87 |
| 4.5.1 | Partial Molar Volume from Density Data | 87 |
| 4.5.2 | Lysozyme – Influence of the pH Value | 88 |
| 4.5.3 | Lysozyme – Influence of Salts | 90 |
| 4.5.4 | Bovine Serum Albumin – Influence of the pH Value | 92 |
| 4.6 | Conclusions | 94 |
| 5 | Conclusions | 95 |
| | Literature | 97 |
| | Appendix | 106 |
| A | Acid Constants | 107 |
| A.1 | 2-Keto-L-Gulonic Acid (HKGA) | 107 |
| A.2 | L-Ascorbic Acid (Vitamin C) | 107 |
| B | Chemical Stability | 109 |
| B.1 | 2-Keto-L-Gulonic Acid (HKGA) | 109 |
| B.2 | L-Ascorbic Acid (Vitamin C) | 110 |
| C | Molality-based Solid-Liquid Equilibrium Models | 111 |
| C.1 | System HKGA + NaKGA + Water | 111 |
| C.2 | System HKGA + Vitamin C + Water | 112 |
| D | Flowchart of NEAT Procedure | 115 |

| | | |
|----------|--|------------|
| E | Information on the Mixtures Studied in Chapter 3 | 117 |
| E.1 | True Composition of Reactive Mixtures | 117 |
| E.2 | Assignment of Groups to Components According to UNIFAC | 118 |
| F | Additional Results for Chapter 3 | 121 |
| F.1 | Estimated Composition in Pseudo Systems | 121 |
| F.2 | Influence of Uncertainty of Target Component Concentration | 131 |
| F.3 | Composition Dependence of Activity Coefficients | 132 |
| F.4 | Equilibrium Stage Simulations | 133 |
| F.5 | Definition of Two Mean Unknown Components | 136 |
| G | Experimental Density Data | 137 |
| H | Error Calculation for Results of Density Measurements | 141 |
| H.1 | Results from Single Evaluations | 141 |
| H.2 | Results from Linear Fit | 142 |