
Contents

1	Introduction	1
1.1	Motivation	2
1.2	Artificial Intelligence background	4
1.2.1	Four approaches to AI	4
1.2.2	Situatedness and Embodiment	6
1.2.3	Embodied Conversational Agents	8
1.3	Thesis scope and objectives	10
1.3.1	Increasing believability	11
1.3.2	Interdisciplinary research	12
1.4	Thesis structure	12
2	Interdisciplinary background	15
2.1	Psychological background	15
2.1.1	Feedback theories	16
2.1.2	Basic emotions and dimensional theories	20
2.1.3	Appraisal theories	33
2.2	Neurobiological and ontogenetical background	47
2.2.1	The Emotional Brain	47
2.2.2	The Somatic Marker Hypothesis	51
2.2.3	Conclusion	57
2.3	Summary	58
3	Related work in Affective Computing	61
3.1	General Emotion Architectures	62
3.1.1	The H-CogAff architecture	63
3.1.2	FLAME: Fuzzy Logic Adaptive Model of Emotions	64
3.1.3	Émile and EMA: A computational model of appraisal dynamics	66
3.1.4	Soar-Emote: Mood and Feeling from Emotion	66
3.1.5	Summary and conclusion	68
3.2	Simulating Virtual Humans	68
3.2.1	REA: The Real Estate Agent	69
3.2.2	Greta: A believable agent	70
3.2.3	The VirtualHuman project	71
3.2.4	The virtual human MAX as a presentation agent	72
3.2.5	Life-like characters as empathic companions	73
3.2.6	Further models and architectures	75

3.2.7	Summary and conclusion	76
3.3	Social robots	76
3.3.1	Cathexis: Yuppy and Kismet	77
3.3.2	Emotion Expression Humanoid Robot WE-4RII	79
3.4	Summary	81
4	Conceptualization of affect simulation	83
4.1	A working definition of affective phenomena	83
4.1.1	Emotions	83
4.1.2	Mood	88
4.1.3	Personality	88
4.2	Emotion dynamics and primary emotion simulation	89
4.2.1	Emotions and moods and their mutual interaction	89
4.2.2	Simulation of primary emotions	91
4.2.3	Summary	93
4.3	Secondary emotion simulation	93
4.3.1	Secondary emotions in PAD space	94
4.3.2	Secondary emotion dynamics	97
4.4	Connecting feelings and thoughts	97
4.4.1	Conscious vs. non-conscious appraisal	97
4.4.2	Elicitation, reappraisal and coping	99
4.5	Summary	99
5	Evaluation of primary emotions	101
5.1	MAX as a museum guide	101
5.1.1	The integration of emotions	101
5.1.2	First experiences	103
5.1.3	Summary	104
5.2	MAX playing Skip-Bo	106
5.2.1	Conceptualizing empathy	107
5.2.2	Scenario description	109
5.2.3	Physiology-based emotion recognition	110
5.2.4	Investigating the effects of positive and negative empathy	111
5.2.5	Results of the empirical study	114
5.2.6	Conclusion	119
5.3	Summary	119
6	Integrating secondary emotions	121
6.1	The cognition module and Skip-Bo	122
6.1.1	BDI-based reasoning	122
6.1.2	The WBS-agents and Skip-Bo	123
6.1.3	Implementing Skip-Bo in JAM	124
6.1.4	Expectations and secondary emotions	133
6.1.5	Eliciting secondary emotions	138
6.2	The emotion module	140
6.2.1	Basic configuration of the emotion module	140

6.2.2	Calculating awareness likelihoods	144
6.2.3	The graphical user interface	147
6.3	The WASABI architecture's information flow	150
6.4	Evaluation of secondary emotion simulation	152
6.4.1	Skip-Bo against MAX in the CAVE-like environment	152
6.4.2	Conclusion	158
6.5	Summary	158
7	Résumé	159
7.1	Results	160
7.2	Discussion and future perspectives	162
	Bibliography	165
	Appendices	179
A	Instructions for the card game Skip-Bo	179
B	The questionnaire	183
C	Additional SkipBo Plans	185
D	Further initialization files for secondary emotions	187