

Contents

1	Introduction	1
2	Constitutive Modelling and Parameter Determination	5
2.1	Introduction	5
2.2	Hypoplastic Constitutive Equation	5
2.2.1	Procedure for the Determination of the Material Parameters	6
2.3	Viscohypoplastic Constitutive Equation	12
2.3.1	Material Parameters and their Determination	15
2.4	Intergranular Strain	21
2.4.1	Determination of the Parameters	22
2.5	Interrelations between Parameters and/or Index Quantities	24
3	Benchmarking of CPT Interpretation Methods for Calcareous Sands	36
3.1	Introduction	36
3.2	Calibration Chamber Tests	37
3.2.1	Test Material	37
3.2.2	Test Facility and Sample Placement	38
3.2.3	Influence of Boundary Conditions	39
3.2.4	Testing Programme and Results	41
3.3	CPT Interpretation Methods used in Geotechnical Practice	42
3.3.1	German Standard DIN 4094	42
3.3.2	Method by Schmertmann	43

3.4	Numerical Interpretation Method by Cudmani	44
3.4.1	Outline	44
3.4.2	Results	46
3.5	Benchmarking of the Interpretation Methods	47
3.6	Influence of Gravel and Stones	48
3.7	Conclusions	50
4	A CPT Interpretation Method for Clayey Soils	52
4.1	Introduction	52
4.2	CPT Calibration Chamber Tests	53
4.2.1	Test Facility	53
4.2.2	Sample Preparation and Installation	55
4.2.3	Test Programme and Results	55
4.3	CPT Interpretation Method	56
4.3.1	Outline	56
4.3.2	FE Simulations	57
4.3.3	Numerical Determination of the Cone Factor N_{kt}	64
4.3.4	Application Example	67
4.4	Conclusions	71
5	Deep Vibratory Compaction	75
5.1	Introduction	75
5.2	Modelling of the DVC	78
5.2.1	Soil–Vibrator Interaction Model	79
5.2.2	1D Dynamic Cylindrical Cavity Expansion Simulations	86
5.2.3	Simulation of Cyclic Truly Triaxial Tests	87
5.2.4	Estimation of the Required Grid Spacing	90
5.3	Application Example	90
5.3.1	Project Description	90

5.3.2	Estimation of the Material Parameters	90
5.3.3	Estimation of the Required Grid Spacing	93
5.4	Sensitivity Analysis	94
5.5	Conclusions	96
5.6	Outlook	97
6	Two further Applications of Viscohypoplasticity	99
6.1	Installation of Granular Columns in Soft Soils	99
6.1.1	Introduction	99
6.1.2	Finite Element Models	99
6.1.3	Conventional Approach using Bedding Moduli	106
6.1.4	Conclusions	108
6.2	An Open Cut: Contract D-8, Chicago Subway	108
6.2.1	Outline	108
6.2.2	FE Model	110
6.2.3	Construction Procedures	112
6.2.4	Calculation Results	112
6.2.5	Conclusions	114
	Zusammenfassung	117
	References	122
A	Constitutive Modelling and Parameter Determination	127
A.1	Hypoplastic Constitutive Model	127
A.1.1	Mathematical Formulation	127
A.1.2	Parameter Calibration – Parametric Study	129
A.2	Viscohypoplastic Constitutive Model	135
A.2.1	Mathematical Formulation	135
A.2.2	Grain Size Distributions	136

A.2.3	Parameter Calibration – Parametric Study	137
A.2.4	Intergranular Strain Parameters of the Investigated Materials	143
A.2.5	Interrelations between Parameters and/or Index Quantities	143
B	Benchmarking of CPT Interpretation Methods for Calcareous Sands	144
B.1	Grain Size Distributions	145
B.2	Results of the CPT Calibration Chamber Tests	146
B.3	Interpretation Method by Cudmani	152
B.3.1	Laboratory and Post Test Calculation Results	152
B.3.2	Results of the Numerical Spherical Cavity Expansion Simulations	156
B.4	Application of the Interpretation Methods	157
C	A CPT Interpretation Method for Clayey Soils	162
C.1	CPTU Calibration Chamber Testing	163
C.1.1	Test facility	163
C.1.2	Sample Preparation and Installation	163
C.1.3	Test results	165
C.2	CPT Interpretation Method	166
C.2.1	FE CPT Simulations	166
C.2.2	Numerical Determination of the Cone Factor N_{kt}	166
C.2.3	Application Example	171
D	Deep Vibratory Compaction	172
D.1	Sensitivity Analysis: Results	172
E	Two further Applications of Viscohypoplasticity	178
E.1	An Open Cut: Contract D-8, Chicago Subway	179